

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representation of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY

As rescanning documents *will not* correct images, please do not report the images to the Image Problem Mailbox.

THIS PAGE BLANK (USPTO)

-251-

- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:34:

TGCACCTGAC TC

12

(2) INFORMATION FOR SEQ ID NO:35:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:35:

TGCTTACTTA ACCCAGTGTG

20

(2) INFORMATION FOR SEQ ID NO:36:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:36:

CACACTATGT AATACTATGC

20

(2) INFORMATION FOR SEQ ID NO:37:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 22 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:37:

-252-

GAAAATATCT GACAAACTCA TC

22

(2) INFORMATION FOR SEQ ID NO:38:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 21 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:38:

CATGGACACC AAATTAAGTT C

21

(2) INFORMATION FOR SEQ ID NO:39:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 14 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:39:

TGAGACTCTG TCTC

14

(2) INFORMATION FOR SEQ ID NO:40:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:40:

TTCCCCAAAT CCCTG

15

(2) INFORMATION FOR SEQ ID NO:41:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 19 base pairs

-253-

- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:41:

GGCACGGCTG TCCAAGGAG

19

(2) INFORMATION FOR SEQ ID NO:42:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:42:

AGGCCGCGCT CGGCGCCCTC

20

(2) INFORMATION FOR SEQ ID NO:43:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 18 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:43:

GCGGACATGG AGGACGTG

18

(2) INFORMATION FOR SEQ ID NO:44:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 21 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO

-254-

- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:44:

GATGCCGATG ACCTGCAGAA G

21

(2) INFORMATION FOR SEQ ID NO:45:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 24 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:45:

CCCTTACCCT TACCCTTACC CTAA

24

(2) INFORMATION FOR SEQ ID NO:46:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 18 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:46:

AATCCGTGCA GCAGAGTT

18

(2) INFORMATION FOR SEQ ID NO:47:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 20 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:47:

TGTCAGAGCT GGACAAGTGT

20

-255-

(2) INFORMATION FOR SEQ ID NO:48:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 20 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:48:

GATATTGTCT TCCCGGTAGC

20

(2) INFORMATION FOR SEQ ID NO:49:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 20 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:49:

CTCGGACCAG GTGTACCGCC

20

(2) INFORMATION FOR SEQ ID NO:50:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 21 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:50:

CCTGTACTGG AAGCGATCT C

21

(2) INFORMATION FOR SEQ ID NO:51:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 20 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

-256-

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:51:

CATGAGGCAG AGCATACGCA

20

(2) INFORMATION FOR SEQ ID NO:52:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:52:

GACAGCAGCA CCGAGACGAT

20

(2) INFORMATION FOR SEQ ID NO:53:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:53:

CGGCTGCGAT CACCGTGCGG

20

(2) INFORMATION FOR SEQ ID NO:54:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 19 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:54:

-257-

GATCCACTGT GCGACGAGC

19

(2) INFORMATION FOR SEQ ID NO:55:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:55:

GCGGCTGCGA TCACCGTGC

19

(2) INFORMATION FOR SEQ ID NO:56:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:56:

TGCACCTGAC TC

12

(2) INFORMATION FOR SEQ ID NO:57:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 12 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:57:

CTGTGGTCGT GC

12

(2) INFORMATION FOR SEQ ID NO:58:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 39 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single

-258-

(D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:58:

GAGTCAGGTG CGCCATGCCT CAAACAGACA CCATGGCGC

39

(2) INFORMATION FOR SEQ ID NO:59:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 21 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown
- (ii) MOLECULE TYPE: cDNA
 - (iii) HYPOTHETICAL: NO
 - (iv) ANTISENSE: NO
 - (v) FRAGMENT TYPE:
 - (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:59:

TCTCTGTCTC CACATGCCCA G

21

(2) INFORMATION FOR SEQ ID NO:60:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown
- (ii) MOLECULE TYPE: cDNA
 - (iii) HYPOTHETICAL: NO
 - (iv) ANTISENSE: NO
 - (v) FRAGMENT TYPE:
 - (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:60:

ACCTAGCGTT CAGTTCGACT GAGATAATAC GACTCACTAT AGCAGCTCTC ATTTTCCATA 60
C 61

(2) INFORMATION FOR SEQ ID NO:61:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 21 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown
- (ii) MOLECULE TYPE: cDNA
 - (iii) HYPOTHETICAL: NO
 - (iv) ANTISENSE: NO
 - (v) FRAGMENT TYPE:

-259-

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:61:

AACTAAGCCA TGTGCACAAC A

21

(2) INFORMATION FOR SEQ ID NO:62:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 25 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: RNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:62:

UCCGGUCUGA UGAGUCCGUG AGGAC

25

(2) INFORMATION FOR SEQ ID NO:63:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 20 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: RNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:63:

GUCACUACAG GUGAGCUCCA

20

(2) INFORMATION FOR SEQ ID NO:64:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 20 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: RNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:64:

CCAUGCGAGA GUAAGUAGUA

20

(2) INFORMATION FOR SEQ ID NO:65:

-260-

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 50 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: RNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:65:

AGGCCUGCGG CAAGACGGAA AGACCAUGGU CCCUNAUCUG CCGCAGGAUC

50

(2) INFORMATION FOR SEQ ID NO:66:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 20 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:66:

CATTTGCTTC TGACACAACT

20

(2) INFORMATION FOR SEQ ID NO:67:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 21 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:67:

TCTCTGTCTC CACATGCCCA G

21

(2) INFORMATION FOR SEQ ID NO:68:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 24 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

-261-

(iii) HYPOTHETICAL: NO
(iv) ANTISENSE: NO
(v) FRAGMENT TYPE:
(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:68:

GTCGTCCCAT GGTGCACCTG ACTC

24

(2) INFORMATION FOR SEQ ID NO:69:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 22 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA
(iii) HYPOTHETICAL: NO
(iv) ANTISENSE: NO
(v) FRAGMENT TYPE:
(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:69:

CGCTGTGGTG AGGCCCTGGG CA

22

(2) INFORMATION FOR SEQ ID NO:70:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 24 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA
(iii) HYPOTHETICAL: NO
(iv) ANTISENSE: NO
(v) FRAGMENT TYPE:
(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:70:

GACGACGACT GCTACCTGAC TCCA

24

(2) INFORMATION FOR SEQ ID NO:71:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 24 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA
(iii) HYPOTHETICAL: NO
(iv) ANTISENSE: NO
(v) FRAGMENT TYPE:
(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:71:

-262-

ACAGCGGACT GCTACCTGAC TCCA

24

(2) INFORMATION FOR SEQ ID NO:72:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 18 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:72:

TGGAGTCAGG TAGCAGTC

18

(2) INFORMATION FOR SEQ ID NO:73:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 19 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:73:

CAGCTCTCAT TTTCCATAC

19

(2) INFORMATION FOR SEQ ID NO:74:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 18 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:74:

AGCCCCAAGA TGACTATC

18

(2) INFORMATION FOR SEQ ID NO:75:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 21 base pairs
- (B) TYPE: nucleic acid

-263-

- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:75:

CGAGGAGCTC AAGGCCAGAA T

21

(2) INFORMATION FOR SEQ ID NO:76:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 18 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:76:

CAGGGGCAGC TCAGCTCTC

19

(2) INFORMATION FOR SEQ ID NO:77:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 18 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:77:

GGCACGGCTG TCCAAGGA

18

(2) INFORMATION FOR SEQ ID NO:78:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 18 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:

-264-

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:78

AGGCCGCGCT CGGCGCCCTC

20

(2) INFORMATION FOR SEQ ID NO:79:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 18 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:79:

CTTACTTGAA TTCCAAGAGC

20

(2) INFORMATION FOR SEQ ID NO:80:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 22 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:80:

GGGCTGACTT GCATGGACCG GA

22

(2) INFORMATION FOR SEQ ID NO:81

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 12 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:81:

AGCCAGGACA AG

12

-265-

(2) INFORMATION FOR SEQ ID NO:82:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:82:

ACAGCAGGAA CAGCA

15

(2) INFORMATION FOR SEQ ID NO:83:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 18 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:83:

GCGGACATGG AGGACGTG

18

(2) INFORMATION FOR SEQ ID NO:84:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 21 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:84:

GATGCCGATG ACCTGCAGAA G

21

(2) INFORMATION FOR SEQ ID NO:85:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 24 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

-266-

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:85:

GTGCCCTGCA GCTTCACTGA AGAC

24

(2) INFORMATION FOR SEQ ID NO:86:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 12 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:86:

AGCCAGGACA AG

12

(2) INFORMATION FOR SEQ ID NO:87:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 14 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:87:

AGCCAGGACA AGTC

14

(2) INFORMATION FOR SEQ ID NO:88:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 13 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

-267-

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:88:

AGCCAGGACA AGA

13

(2) INFORMATION FOR SEQ ID NO:89:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:89:

ACAGCACCAA CAGCA

15

(2) INFORMATION FOR SEQ ID NO:90:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 17 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:90:

ACAGCAGGAA CAGCATC

17

(2) INFORMATION FOR SEQ ID NO:91:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:91:

ACAGCAGGAA CAGCAG

16

-268-

(2) INFORMATION FOR SEQ ID NO:92:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 18 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:92:

GCGGACATGG AGGACGTG

18

(2) INFORMATION FOR SEQ ID NO:93:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 20 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:93:

GCGGACATGG AGGACGTGGC

20

(2) INFORMATION FOR SEQ ID NO:94:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 19 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:94:

GCGGACATGG AGGACGTGC

19

(2) INFORMATION FOR SEQ ID NO:95:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 21 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single

-269-

(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:95:

GATGCCGATG ACCTGCAGAA G

21

(2) INFORMATION FOR SEQ ID NO:96:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 22 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:96:

GATGCCGATG ACCTGCAGAA GC

22

(2) INFORMATION FOR SEQ ID NO:97:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 23 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:97:

GATGCCGATG ACCTGCAGAA GTG

23

(2) INFORMATION FOR SEQ ID NO:98:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 24 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

-270-

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:98:

GTGCCCTGCA GCTTCACTGA AGAC

24

(2) INFORMATION FOR SEQ ID NO:99:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:99:

GTGCCCTGCA GCTTCACTGA AGACTG

26

(2) INFORMATION FOR SEQ ID NO:100:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 25 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:100:

GTGCCCTGCA GCTTCACTGA AGACC

25

(2) INFORMATION FOR SEQ ID NO:101:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 19 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:101:

TATCTGTTCA CTTGTGCCC

19

-271-

(2) INFORMATION FOR SEQ ID NO:102:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 19 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:102:

CAGAGGCCTG GGGACCCTG

19

(2) INFORMATION FOR SEQ ID NO:103:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 18 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:103:

ACGACAGGGC TGGTTGCC

18

(2) INFORMATION FOR SEQ ID NO:104:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 19 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:104:

ACTGACAACC ACCCTTAAC

19

(2) INFORMATION FOR SEQ ID NO:105:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 18 base pairs
- (B) TYPE: nucleic acid

-272-

- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:105:

CTGCTTGCCA CAGGTCTC

18

(2) INFORMATION FOR SEQ ID NO:106:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 18 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:106:

CACAGCAGGC CAGTGTGC

18

(2) INFORMATION FOR SEQ ID NO:107:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 19 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:107:

GGACCTGATT TCCTTACTG

19

(2) INFORMATION FOR SEQ ID NO:108:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 19 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA

-273-

(iii) HYPOTHETICAL: NO
(iv) ANTISENSE: NO
(v) FRAGMENT TYPE:
(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:108:

TGAATCTGAG GCATAACTG

19

(2) INFORMATION FOR SEQ ID NO:109:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 50 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:109:

TTGCGTACAC ACTGGCCGTC GTTTTACAAC GTCGTGACTG GGAAAACCCT

50

(2) INFORMATION FOR SEQ ID NO:110:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 27 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:110:

GTAAAACGAC GGCCAGTGTG TACGCAA

27

(2) INFORMATION FOR SEQ ID NO:111:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 27 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

-274-

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:111:

TACTGGAAGG CGATCTCAGC AATCAGC

27

(2) INFORMATION FOR SEQ ID NO:112:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 19 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:112:

GGCACGGCTG TCCAAGGAG

19

(189) INFORMATION FOR SEQ ID NO:113:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 20 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:113:

AGGCCGCGCT CGGCGCCCTC

20

(2) INFORMATION FOR SEQ ID NO:114:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 20 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: RNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:114:

GUCACUACAG GUGAGCUCCA

20

(2) INFORMATION FOR SEQ ID NO:115:

-275-

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 21 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:115:

GAATTCGAGC TCGGTACCCG G

21

(2) INFORMATION FOR SEQ ID NO:116:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 21 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:116:

CCGGGTACCG AGCTCGAATT C

21

(2) INFORMATION FOR SEQ ID NO:117:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 23 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: unknown
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:117:

CCTCTTGGA ACTGTGTAGT ATT

23

(2) INFORMATION FOR SEQ ID NO:118:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 112 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

-276-

- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:118:

AGGCTGTCTC TCTCCCTCTC TCATACACAC ACACACACAC ACACACACAC ACACACACAC 60
ACACACACAC TCACACTCAC CCACANNNA AATACTACACA GTTCCCAAGA GG 112

(2) INFORMATION FOR SEQ ID NO:119:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 49 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:119:

TAATACGACT CACTATAGGG CGAAGGCTGT CTCTCTCCCT CTTCATAC 49

(2) INFORMATION FOR SEQ ID NO:120:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 135 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:120:

TAATACGACT CACTATAGGG CGAAGGCTGT CTCTCTCCCT CTTCATACA CACACACACA 60
CACACACACA CACACACACA CACACACACA CACTCACACT CACCCACANN NAAATACTAC 120
ACAGTCCCA AGAGG 135

(2) INFORMATION FOR SEQ ID NO:121:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 12 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

-277-

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:121:

AATACTACAC AG

12

(2) INFORMATION FOR SEQ ID NO:122:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 24 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: unknown
- (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:122:

CTGATGCGTC GGATCATCTT TTTT

24

(2) INFORMATION FOR SEQ ID NO:123:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 23 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:123:

GATGATCCGA CGCATCAGAA TGT

23

(2) INFORMATION FOR SEQ ID NO:124:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 29 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: unknown
- (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:124:

GATCTAGCTG GGCCGAGCTA GGCCGTTGA

29

(2) INFORMATION FOR SEQ ID NO:125:

(i) SEQUENCE CHARACTERISTICS:

-278-

- (A) LENGTH: 27 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:125:

CTGATGCGTC GGATCATCTT TTTTTTT

27

(2) INFORMATION FOR SEQ ID NO:126:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 12 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:126:

GATGATCCGA CG

12

(2) INFORMATION FOR SEQ ID NO:127:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:127:

GATGATCCGA CGCAT

15

(2) INFORMATION FOR SEQ ID NO:128:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 12 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO

-279-

- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:128:

AAAAAAGATG AT

12

(2) INFORMATION FOR SEQ ID NO:129:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 12 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:129:

GATCCGACGC AT

12

(2) INFORMATION FOR SEQ ID NO:130:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 253 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:130:

GGCACGGCTG	TCCAAGGAGC	TGCAGGCGGC	GCAGGCCCGG	CTGGGCGCGG	ACATGGAGGA	60
CGTGTGCGGC	CGCTGGTGC	AGTACCGCGG	CGAGGTGCAG	GCCATGCTCG	GCCAGAGCAC	120
CGAGGAGCTG	CGGGTGCGCC	TCGCCTCCCA	CCTGCGCAAG	CTGCGTAAGC	GGCTCCTCCG	180
CGATGCCGAT	GACCTGCAGA	AGTGCCTGGC	AGTGTACCAG	GCCGGGGCCC	GCGAGGGCGC	240
CGAGCGCGGC	CTC					253

(2) INFORMATION FOR SEQ ID NO:131:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 58 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

-280-

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:131:

GAATTACATT CCCAACCGCG TGGCACAACA ACTGGCGGGC AAACAGTCGT TGCTGATT 58

(2) INFORMATION FOR SEQ ID NO:132:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 57 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:132:

ACCATTAAAG AAAATATCAT CTTTGGTGTT TCCTATGATG AATATAGAAG CGTCATC 57

(2) INFORMATION FOR SEQ ID NO:133:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 29 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:133:

CTATATTCAT CATAGGAAAC ACCAAAGAT 29

(2) INFORMATION FOR SEQ ID NO:134:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:134:

CTATATTCAT CATAGGAAAC ACCAAT 26

(2) INFORMATION FOR SEQ ID NO:135:

(i) SEQUENCE CHARACTERISTICS:

-281-

- (A) LENGTH: 29 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:135:

CTATATTCAT CATAGGAAAC ACCAAAGAT

29

(2) INFORMATION FOR SEQ ID NO:136:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 38 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:136:

CTATATTCAT CATAGGAAAC ACCAAAGATG ATATTTTC

38

(2) INFORMATION FOR SEQ ID NO:137:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 35 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:137:

CTATATTCAT CATAGGAAAC ACCAATG ATATTTTC

35

(2) INFORMATION FOR SEQ ID NO:138:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 35 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO

-282-

- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:138:

CTATATTCAT CATAGGAAAC ACCAAAGATA TTTTC

35

(2) INFORMATION FOR SEQ ID NO:139:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 31 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:139:

CTATATTCAT CATAGGAAAC ACCAAAGATG C

31

(2) INFORMATION FOR SEQ ID NO:140:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 200 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:140:

CTTCCACCGC GATGTTGATG ATTATGTGTC TGAATTGAT GGGGGCAGGC GGCCCCCGTC
TGTTTGTCGC GGGTCTGGTG TTGATGGTGG TTTCTGCCT TGTCACCCTC GACCTGCAGC
CCAAGCTTGG GATCCACCAC CATCACCATC ACTAATAATG CATGGGCTGC AGCCAATTGG
CACTGGCCGT CGTTTTACAA

(2) INFORMATION FOR SEQ ID NO:141:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 99 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

-283-

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:141:

GTCACCCTCG ACCTGCAGCC CAAGCTTGGG ATCCACCACC ATCACCATCA CTAATAATGC
ATGGGCTGCA GCCAATTGGC ACTGGCCGTC GTTTACAA

(2) INFORMATION FOR SEQ ID NO:142:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:142:

TGTACGTCAC AACTA

15

(2) INFORMATION FOR SEQ ID NO:143:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:143:

TGTACGTCAC AACTAC

16

(2) INFORMATION FOR SEQ ID NO:144:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 17 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:144:

TGTACGTCAC AACTACA

17

(2) INFORMATION FOR SEQ ID NO:145:

(i) SEQUENCE CHARACTERISTICS:

-284-

- (A) LENGTH: 18 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:145:

TGTACGTCAC AACTACAA

18

(2) INFORMATION FOR SEQ ID NO:146:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 19 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:146:

TGTACGTCAC AACTACAAT

19

(2) INFORMATION FOR SEQ ID NO:147:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 20 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:147:

TGTACGTCAC AACTACAATA

20

(2) INFORMATION FOR SEQ ID NO:148:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 21 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO

-285-

- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:148:

TGTACGTCAC AACTACAATA G

21

(2) INFORMATION FOR SEQ ID NO:149:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 22 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:149:

TGTACGTCAC AACTACAATA GG

22

(2) INFORMATION FOR SEQ ID NO:150:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 23 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:150:

TGTACGTCAC AACTACAATA GGC

23

(2) INFORMATION FOR SEQ ID NO:151:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 24 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:151:

TGTACGTCAC AACTACAATA GGCC

24

-286-

(2) INFORMATION FOR SEQ ID NO:152:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 25 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:152:

TGTACGTCAC AACTACAATA GGCCC

25

(2) INFORMATION FOR SEQ ID NO:153:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:153:

TGTACGTCAC AACTACAATA GGCCCT

26

(2) INFORMATION FOR SEQ ID NO:154:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 27 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:154:

TGTACGTCAC AACTACAATA GGCCCTG

27

(2) INFORMATION FOR SEQ ID NO:155:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 28 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

-287-

(ii) MOLECULE TYPE: cDNA
(iii) HYPOTHETICAL: NO
(iv) ANTISENSE: NO
(v) FRAGMENT TYPE:
(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:155:

TGTACGTCAC AACTACAATA GGCCCTGC

28

(2) INFORMATION FOR SEQ ID NO:156:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 29 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA
(iii) HYPOTHETICAL: NO
(iv) ANTISENSE: NO
(v) FRAGMENT TYPE:
(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:156:

TGTACGTCAC AACTACAATA GGCCCTGCA

29

(2) INFORMATION FOR SEQ ID NO:157:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 30 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA
(iii) HYPOTHETICAL: NO
(iv) ANTISENSE: NO
(v) FRAGMENT TYPE:
(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:157:

TGTACGTCAC AACTACAATA GGCCCTGCAC

30

(2) INFORMATION FOR SEQ ID NO:158:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 31 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA
(iii) HYPOTHETICAL: NO
(iv) ANTISENSE: NO
(v) FRAGMENT TYPE:
(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:158:

-288-

TGTACGTCAC AACTACAATA GGCCCTGCAC C

31

(2) INFORMATION FOR SEQ ID NO:159:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 32 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:159:

TGTACGTCAC AACTACAATA GGCCCTGCAC CA

32

(2) INFORMATION FOR SEQ ID NO:160:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 33 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:160:

TGTACGTCAC AACTACAATA GGCCCTGCAC CAG

33

(2) INFORMATION FOR SEQ ID NO:161:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 34 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:161:

TGTACGTCAC AACTACAATA GGCCCTGCAC CAGG

34

(2) INFORMATION FOR SEQ ID NO:162:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 35 base pairs
- (B) TYPE: nucleic acid

-289-

- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:162:

TGTACGTCAC AACTACAATA GGCCCTGCAC CAGGC

35

(2) INFORMATION FOR SEQ ID NO:163:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 36 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:163:

TGTACGTCAC AACTACAATA GGCCCTGCAC CAGGCC

36

(2) INFORMATION FOR SEQ ID NO:164:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 37 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:164:

TGTACGTCAC AACTACAATA GGCCCTGCAC CAGGCCA

37

(2) INFORMATION FOR SEQ ID NO:165:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 38 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:

-290-

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:165:

TGTACGTCAC AACTACAATA GGCCCTGCAC CAGGCCAG

38

(2) INFORMATION FOR SEQ ID NO:166:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 39 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:166:

TGTACGTCAC AACTACAATA GGCCCTGCAC CAGGCCAGA

39

(2) INFORMATION FOR SEQ ID NO:167:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 19 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:167:

CTGATGCGTC GGATCATCC

19

(2) INFORMATION FOR SEQ ID NO:168:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 20 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:168:

CTGATGCGTC GGATCATCCA

20

(2) INFORMATION FOR SEQ ID NO:169:

-291-

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 21 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:169:

CTGATGCGTC GGATCATCCA G

21

(2) INFORMATION FOR SEQ ID NO:170:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 22 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:170:

CTGATGCGTC GGATCATCCA GC

22

(2) INFORMATION FOR SEQ ID NO:171:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 23 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:171:

CTGATGCGTC GGATCATCCA GCA

23

(2) INFORMATION FOR SEQ ID NO:172:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 24 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

-292-

(iii) HYPOTHETICAL: NO
(iv) ANTISENSE: NO
(v) FRAGMENT TYPE:
(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:172:

CTGATGCGTC GGATCATCCA GCAG

24

(2) INFORMATION FOR SEQ ID NO:173:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 25 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA
(iii) HYPOTHETICAL: NO
(iv) ANTISENSE: NO
(v) FRAGMENT TYPE:
(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:173:

CTGATGCGTC GGATCATCCA GCAGC

25

(2) INFORMATION FOR SEQ ID NO:174:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 26 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA
(iii) HYPOTHETICAL: NO
(iv) ANTISENSE: NO
(v) FRAGMENT TYPE:
(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:174:

CTGATGCGTC GGATCATCCA GCAGCA

26

(2) INFORMATION FOR SEQ ID NO:175:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 27 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA
(iii) HYPOTHETICAL: NO
(iv) ANTISENSE: NO
(v) FRAGMENT TYPE:
(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:175:

-293-

CTGATGCGTC GGATCATCCA GCAGCAG

27

(2) INFORMATION FOR SEQ ID NO:176:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 28 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:176:

CTGATGCGTC GGATCATCCA GCAGCAGC

28

(2) INFORMATION FOR SEQ ID NO:177:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 29 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:177:

CTGATGCGTC GGATCATCCA GCAGCAGCA

29

(2) INFORMATION FOR SEQ ID NO:178:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 30 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:178:

CTGATGCGTC GGATCATCCA GCAGCAGCAG

30

(2) INFORMATION FOR SEQ ID NO:179:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 31 base pairs
- (B) TYPE: nucleic acid

-294-

- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:179:

CTGATGCGTC GGATCATCCA GCAGCAGCAG C

31

(2) INFORMATION FOR SEQ ID NO:180:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 32 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:180:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CA

32

(2) INFORMATION FOR SEQ ID NO:181:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 33 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:181:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAG

33

(2) INFORMATION FOR SEQ ID NO:182:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 34 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:

-295-

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:182:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGC

34

(2) INFORMATION FOR SEQ ID NO:183:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 35 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:183:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCA

35

(2) INFORMATION FOR SEQ ID NO:184:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 36 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:184:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCAG

36

(2) INFORMATION FOR SEQ ID NO:185:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 37 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:185:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCAGC

37

(2) INFORMATION FOR SEQ ID NO:186:

-296-

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 38 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:186:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCAGCA

38

(2) INFORMATION FOR SEQ ID NO:187:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 39 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:187:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCAGCAG

39

(2) INFORMATION FOR SEQ ID NO:188:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 40 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:188:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCAGCAGC

40

(2) INFORMATION FOR SEQ ID NO:189:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 41 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

-297-

- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:189:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCAGCAGC A

41

(2) INFORMATION FOR SEQ ID NO:190:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 42 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:190:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCAGCAGC AG

42

(2) INFORMATION FOR SEQ ID NO:191:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 43 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:191:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCAGCAGC AGT

43

(2) INFORMATION FOR SEQ ID NO:192:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 44 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:192:

-298-

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCAGCAGC AGTC

44

(2) INFORMATION FOR SEQ ID NO:193:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 45 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:193:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCAGCAGC AGTCA

45

(2) INFORMATION FOR SEQ ID NO:194:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 46 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:194:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCAGCAGC AGTCAC

46

(2) INFORMATION FOR SEQ ID NO:195:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 47 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:195:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCAGCAGC AGTCACG

47

(2) INFORMATION FOR SEQ ID NO:196:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 48 base pairs
- (B) TYPE: nucleic acid

-299-

- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:196:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCAGCAGC AGTCACGC

48

- (2) INFORMATION FOR SEQ ID NO:197:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 49 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:197:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCAGCAGC AGTCACGCT

49

- (2) INFORMATION FOR SEQ ID NO:198:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 50 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:198:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCAGCAGC AGTCACGCTA

50

- (2) INFORMATION FOR SEQ ID NO:199:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 51 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:

-300-

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:199:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCAGCAGC AGTCACGCTA A

51

(2) INFORMATION FOR SEQ ID NO:200:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 52 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:200:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCAGCAGC AGTCACGCTA AC

52

(2) INFORMATION FOR SEQ ID NO:201:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 53 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:201:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCAGCAGC AGTCACGCTA ACC

53

(2) INFORMATION FOR SEQ ID NO:202:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 54 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:202:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCAGCAGC AGTCACGCTA ACCG

54

(2) INFORMATION FOR SEQ ID NO:203:

-301-

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 55 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:203:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCAGCAGC AGTCACGCTA ACCGA

55

(2) INFORMATION FOR SEQ ID NO:204:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 56 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:204:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCAGCAGC AGTCACGCTA ACCGAA

56

(2) INFORMATION FOR SEQ ID NO:205:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 57 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:205:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCAGCAGC AGTCACGCTA ACCGAAT

57

(2) INFORMATION FOR SEQ ID NO:206:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 58 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

-302-

- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:206:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCAGCAGC AGTCACGCTA ACCGAATC 58

(2) INFORMATION FOR SEQ ID NO:207:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 59 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:207:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCAGCAGC AGTCACGCTA ACCGAATCC 59

(2) INFORMATION FOR SEQ ID NO:208:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 60 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:208:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCAGCAGC AGTCACGCTA ACCGAATCCC 60

(2) INFORMATION FOR SEQ ID NO:209:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 61 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:209:

-303-

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCAGCAGC AGTCACGCTA ACCGAATCCC 60
T 61

(2) INFORMATION FOR SEQ ID NO:210:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 62 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:210:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCAGCAGC AGTCACGCTA ACCGAATCCC 60
TG 62

(2) INFORMATION FOR SEQ ID NO:211:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 63 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:211:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCAGCAGC AGTCACGCTA ACCGAATCCC 60
TGG 63

(2) INFORMATION FOR SEQ ID NO:212:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 64 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:212:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCAGCAGC AGTCACGCTA ACCGAATCCC 60
TGGT 64

(2) INFORMATION FOR SEQ ID NO:213:

-304-

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 65 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:213:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCAGCAGC AGTCACGCTA ACCGAATCCC 60
TGGTC 65

(2) INFORMATION FOR SEQ ID NO:214:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 66 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:214:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCAGCAGC AGTCACGCTA ACCGAATCCC 60
TGGTCA 66

(2) INFORMATION FOR SEQ ID NO:215:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 67 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:215:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCAGCAGC AGTCACGCTA ACCGAATCCC 60
TGGTCAG 67

(2) INFORMATION FOR SEQ ID NO:216:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 68 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single

-305-

(D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:216:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCAGCAGC AGTCACGCTA ACCGAATCCC 60
TGGTCAGA 68

(2) INFORMATION FOR SEQ ID NO:217:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 69 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:217:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCAGCAGC AGTCACGCTA ACCGAATCCC 60
TGGTCAGAT 69

(2) INFORMATION FOR SEQ ID NO:218:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 70 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:218:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCAGCAGC AGTCACGCTA ACCGAATCCC 60
TGGTCAGATC 70

(2) INFORMATION FOR SEQ ID NO:219:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 71 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO

-306-

- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:219:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCAGCAGC AGTCACGCTA ACCGAATCCC 60
TGGTCAGATC T 71

(2) INFORMATION FOR SEQ ID NO:220:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 72 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:220:

CTGATGCGTC GGATCATCCA GCAGCAGCAG CAGCAGCAGC AGTCACGCTA ACCGAATCCC 60
TGGTCAGATC TT 72

(2) INFORMATION FOR SEQ ID NO:221:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 13 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:221:

TGCACCTGAC TCC

13

(2) INFORMATION FOR SEQ ID NO:222:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 14 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:222:

-307-

TGCACCTGAC TCCT

14

(2) INFORMATION FOR SEQ ID NO:223:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:223:

TGCACCTGAC TCCTG

15

(2) INFORMATION FOR SEQ ID NO:224:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:224:

TGCACCTGAC TCCTGT

16

(2) INFORMATION FOR SEQ ID NO:225:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 17 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:225:

TGCACCTGAC TCCTGTG

17

(2) INFORMATION FOR SEQ ID NO:226:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 18 base pairs
- (B) TYPE: nucleic acid

-308-

- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:226:

TGCACCTGAC TCCTGTGG

18

(2) INFORMATION FOR SEQ ID NO:227:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 19 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:227:

TGCACCTGAC TCCTGTGGA

19

(2) INFORMATION FOR SEQ ID NO:228:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:228:

TGCACCTGAC TCCTGTGGAG

20

(2) INFORMATION FOR SEQ ID NO:229:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 21 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:

-309-

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:229:

TGCACCTGAC TCCTGTGGAG A

21

(2) INFORMATION FOR SEQ ID NO:230:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 22 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:230:

TGCACCTGAC TCCTGTGGAG AA

22

(2) INFORMATION FOR SEQ ID NO:231:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 23 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:231:

TGCACCTGAC TCCTGTGGAG AAG

23

(2) INFORMATION FOR SEQ ID NO:232:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 24 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:232:

TGCACCTGAC TCCTGTGGAG AAGT

24

(2) INFORMATION FOR SEQ ID NO:233:

-310-

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 25 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:233:

TGCACCTGAC TCCTGTGGAG AAGTC

25

(2) INFORMATION FOR SEQ ID NO:234:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:234:

TGCACCTGAC TCCTGTGGAG AAGTCT

26

(2) INFORMATION FOR SEQ ID NO:235:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 27 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:235:

TGCACCTGAC TCCTGTGGAG AAGTCTG

27

(2) INFORMATION FOR SEQ ID NO:236:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 28 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

-311-

(iii) HYPOTHETICAL: NO
(iv) ANTISENSE: NO
(v) FRAGMENT TYPE:
(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:236:

TGCACCTGAC TCCTGTGGAG AAGTCTGC

28

(2) INFORMATION FOR SEQ ID NO:237:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 29 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:237:

TGCACCTGAC TCCTGTGGAG AAGTCTGCC

29

(2) INFORMATION FOR SEQ ID NO:238:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 30 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:238:

TGCACCTGAC TCCTGTGGAG AAGTCTGCCG

30

(2) INFORMATION FOR SEQ ID NO:239:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 31 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:239:

-312-

TGCACCTGAC TCCTGTGGAG AAGTCTGCCG T

31

(2) INFORMATION FOR SEQ ID NO:240:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 32 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:240:

TGCACCTGAC TCCTGTGGAG AAGTCTGCCG TT

32

(2) INFORMATION FOR SEQ ID NO:241:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 33 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:241:

TGCACCTGAC TCCTGTGGAG AAGTCTGCCG TTA

33

(2) INFORMATION FOR SEQ ID NO:242:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 34 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:242:

TGCACCTGAC TCCTGTGGAG AAGTCTGCCG TTAC

34

(2) INFORMATION FOR SEQ ID NO:243:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 35 base pairs
- (B) TYPE: nucleic acid

-313-

- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:243:

TGCACCTGAC TCCTGTGGAG AAGTCTGCCG TTACT

35

(2) INFORMATION FOR SEQ ID NO:244:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 36 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:244:

TGCACCTGAC TCCTGTGGAG AAGTCTGCCG TTACTG

36

(2) INFORMATION FOR SEQ ID NO:245:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 37 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:245:

TGCACCTGAC TCCTGTGGAG AAGTCTGCCG TTACTGC

37

(2) INFORMATION FOR SEQ ID NO:246:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 38 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:

-314-

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:246:

TGCACCTGAC TCCTGTGGAG AAGTCTGCCG TTA CTGCC

38

(2) INFORMATION FOR SEQ ID NO:247:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 39 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:247:

TGCACCTGAC TCCTGTGGAG AAGTCTGCCG TTA CTGCC

39

(2) INFORMATION FOR SEQ ID NO:248:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 40 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:248:

TGCACCTGAC TCCTGTGGAG AAGTCTGCCG TTA CTGCCCT

40

(2) INFORMATION FOR SEQ ID NO:249:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 41 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:249:

TGCACCTGAC TCCTGTGGAG AAGTCTGCCG TTA CTGCCCT G

41

(2) INFORMATION FOR SEQ ID NO:250:

-315-

- (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 42 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
(iii) HYPOTHETICAL: NO
(iv) ANTISENSE: NO
(v) FRAGMENT TYPE:
(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:250:

TGCACCTGAC TCCTGTGGAG AAGTCTGCCG TTACTGCCCT GT

42

(2) INFORMATION FOR SEQ ID NO:251:

- (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 43 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
(iii) HYPOTHETICAL: NO
(iv) ANTISENSE: NO
(v) FRAGMENT TYPE:
(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:251:

TGCACCTGAC TCCTGTGGAG AAGTCTGCCG TTACTGCCCT GTG

43

(2) INFORMATION FOR SEQ ID NO:252:

- (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 44 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
(iii) HYPOTHETICAL: NO
(iv) ANTISENSE: NO
(v) FRAGMENT TYPE:
(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:252:

TGCACCTGAC TCCTGTGGAG AAGTCTGCCG TTACTGCCCT GTGG

44

(2) INFORMATION FOR SEQ ID NO:253:

- (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 45 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA

-316-

- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:253:

TGCACCTGAC TCCTGTGGAG AAGTCTGCCG TTACTGCCCT GTGGG

45

(2) INFORMATION FOR SEQ ID NO:254:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 46 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:254:

TGCACCTGAC TCCTGTGGAG AAGTCTGCCG TTACTGCCCT GTGGGG

46

(2) INFORMATION FOR SEQ ID NO:255:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 47 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:255:

TGCACCTGAC TCCTGTGGAG AAGTCTGCCG TTACTGCCCT GTGGGGC

47

(2) INFORMATION FOR SEQ ID NO:256:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 48 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:256:

-317-

TGCACCTGAC TCCTGTGGAG AAGTCTGCCG TTACTGCCCT GTGGGGCA

48

(2) INFORMATION FOR SEQ ID NO:257:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 49 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:257:

TGCACCTGAC TCCTGTGGAG AAGTCTGCCG TTACTGCCCT GTGGGGCAA

49

(2) INFORMATION FOR SEQ ID NO:258:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 50 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:258:

TGCACCTGAC TCCTGTGGAG AAGTCTGCCG TTACTGCCCT GTGGGGCAAG

50

(2) INFORMATION FOR SEQ ID NO:259:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 51 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:259:

TGCACCTGAC TCCTGTGGAG AAGTCTGCCG TTACTGCCCT GTGGGGCAAG G

51

(2) INFORMATION FOR SEQ ID NO:260:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 52 base pairs
- (B) TYPE: nucleic acid

-318-

- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:260:

TGCACCTGAC TCCTGTGGAG AAGTCTGCCG TTACTGCCCT GTGGGGCAAG GT

52

(2) INFORMATION FOR SEQ ID NO:261:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 209 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:261:

CATTGCTTC	TGACACA	ACT	GTGTT	CACTA	GCAAC	CTCAA	ACAGAC	ACCA	TGGT	GAC	CT	60	
GACTCCT	GTG	GAGA	AGT	CTG	CCGTT	ACTGC	CCTGT	GGGGC	AAGGT	GAACG	TGGAT	GAA	120
TGGTGGT	GAG	GCCCT	GGGCA	GGTTG	GTATC	AAGGT	TACAA	GACAG	GTTTA	AGGAG	ACCAA	180	
TAGAA	ACTG	GCATG	TGGAG	ACAGA	GAA							209	

(2) INFORMATION FOR SEQ ID NO:262:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 88 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:262:

TGAGACT	CTG	TCTCA	AAAAAT	AAATAA	AATAA	ATAAA	TAAAT	AAATAA	AATAA	ATAAA	TAAAT	60
AAATAA	AATAA	GTAAA	AAAGA	AAGA	ATGC							88

(2) INFORMATION FOR SEQ ID NO:263:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 54 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

-319-

(ii) MOLECULE TYPE: cDNA
(iii) HYPOTHETICAL: NO
(iv) ANTISENSE: NO
(v) FRAGMENT TYPE:
(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:263:

GTGTGTGTGT GTGTGTGTT TTTTTTTAAC AGGGATTG GGAATTATTT GAGA

54

(2) INFORMATION FOR SEQ ID NO:264:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 24 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA
(iii) HYPOTHETICAL: NO
(iv) ANTISENSE: NO
(v) FRAGMENT TYPE:
(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:264:

TTCCCCAAAT CCCTGTTAAA AAC

23

(2) INFORMATION FOR SEQ ID NO:265:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 26 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA
(iii) HYPOTHETICAL: NO
(iv) ANTISENSE: NO
(v) FRAGMENT TYPE:
(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:265:

TTCCCCAAAT CCCTGTTAAA AAAAC

25

(2) INFORMATION FOR SEQ ID NO:266:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 27 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA
(iii) HYPOTHETICAL: NO
(iv) ANTISENSE: NO
(v) FRAGMENT TYPE:
(vi) ORIGINAL SOURCE:

-320-

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:266:

TTCCCCAAAT CCCTGTTAAA AAAAAAC

27

(2) INFORMATION FOR SEQ ID NO:267:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 103 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:267:

GTAAAACGAC CGCCAGTGCC AAGCTTGCAT GCCTGCAGGT CGACTCTAGA GGATCCCCGG 60
GTACCGAGCT CGAATTCGTA ATCATGGTCA TAGCTGTTTC CTG 103

(2) INFORMATION FOR SEQ ID NO:268:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 78 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:268:

GAGTCAGGTG CGCCATGCCT CAAACAGACA CCATGGTGCA CCTGACTCCT GAGGAGNCTG 60
GGCATGTGGA GACAGAGA 78

(2) INFORMATION FOR SEQ ID NO:269:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 78 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:269:

TCTCTGTCTC CACATGCCCA GNCTCCTCAG GACTCAGGTG CACATGGTGT CTGTTTGAGG 60

-321-

CATGGCGCAC CTGAGCTC

78

(2) INFORMATION FOR SEQ ID NO:270:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 78 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:270:

TCTCTGTCTC CACATGCCCA GNCTCCTCAG GAGTCAGGTG CGCCATGGTG TCTGTTTGAG 60
GCATGGCGCA CGTGACTC 78

(2) INFORMATION FOR SEQ ID NO:271:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 82 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:271:

TCTCTGTCTC CACATGCCCA GNCTCCTCAG GAGTCAGGTG CGCCATGGTG TCTGTTTGAG 60
GCATGGCGCA CCTGACTCCT GA 82

(2) INFORMATION FOR SEQ ID NO:272:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 42 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:272:

TCTCTGTCTC CACATGCCCA GNCTCCTCAG GAGTCAGGTG CG 42

(2) INFORMATION FOR SEQ ID NO:273:

(i) SEQUENCE CHARACTERISTICS:

-322-

- (A) LENGTH: 13 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:273:

CACCTGACTC CTA

13

(2) INFORMATION FOR SEQ ID NO:274:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 14 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:274:

CACCTGACTC CTGGA

14

(2) INFORMATION FOR SEQ ID NO:275:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 14 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:275:

CACCTGACTC CTGA

14

(2) INFORMATION FOR SEQ ID NO:276:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO

-323-

- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:276:

CCATGGGTGTC TGTTTGAGGC ATGGCG

26

(2) INFORMATION FOR SEQ ID NO:277:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 75 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:277:

CAGCTCTCAT TTTCCATACA GTCAGTATCA ATTCTGGAAG AATTTCAGGA CATTAAAGAT 60
AGTCATCTTG GGGCT 75

(2) INFORMATION FOR SEQ ID NO:278:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 61 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:278:

ACCTAGCGTT CAGTTCGACT GAGATAATAC GACTCACTAT AGCAGCTCTC ATTTTCCATA 60
C 61

(2) INFORMATION FOR SEQ ID NO:279:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: RNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:279:

-324-

GUCACUACAG GUGAGCUCCA

20

(2) INFORMATION FOR SEQ ID NO:280:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 24 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:280:

CTCAGTCCAC GTGGTACCCT GCTG

24

(2) INFORMATION FOR SEQ ID NO:281:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 85 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:281:

CATTGCTTC TGACACAACT GTGTTCACTA GCAACCTCAA ACAGACACCA TGGTGCACCT
GACTCCTGAG GAGAAGTCTG CCGTT

85

(2) INFORMATION FOR SEQ ID NO:282:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 22 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:282:

ACGGGTCCC GAGTGGTGTC GC

22

(2) INFORMATION FOR SEQ ID NO:283:

-325-

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 76 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:283:

ACTGCCCTGT GGGGCAAGGT GAACGTGGAT GAAGTTGGTG GTGAGGCCCT GGGCAGGTTG 60
GTATCAAGGT TACAAG 76

(2) INFORMATION FOR SEQ ID NO:284:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 76 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:284:

ACTGCCCTGT GGGGCAAGGT GAACGTGGAT GAAGTTGGTG GTGAGGCCCT GGGCAGATTG 60
GTATCAAGGT TACAAG 76

(2) INFORMATION FOR SEQ ID NO:285:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 76 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:285:

ACTGCCCTGT GGGGCAAGGT GAACGTGGAT GAAGTTGGTG GTGAGGCCCT GGGCAGGTTG 60
CTATCAAGGT TACAAG 76

(2) INFORMATION FOR SEQ ID NO:286:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 76 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single

-326-

(D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:286:

ACTGCCCTGT GGGGCAAGGT GAACGTGGAT GAAGTTGGTG GTGAGGCCCT GGGCAGGTTG 60
GCATCAAGGT TACAAG 76

(2) INFORMATION FOR SEQ ID NO:287:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 48 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:287:

ACAGGTTTAA GGAGACCAAT AGAACTGGG CATGTGGAGA CAGAGAAG 48

(2) INFORMATION FOR SEQ ID NO:288:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 24 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:288:

GACGACGACT GCTACCTGAC TCCA 24

(2) INFORMATION FOR SEQ ID NO:289:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 24 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:

-327-

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:289:

ACAGCGCACT GCTACCTGAC TCCA

24

(2) INFORMATION FOR SEQ ID NO:290:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 18 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:290:

TGGAGTCAGG TAGCAGTC

18

(2) INFORMATION FOR SEQ ID NO:291:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 60 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:291:

CAGCTCTCAT TTTCCATACA GTCAGTATCA ATTCTGGAAG AATTTCCAGA CATTAAAGAT 60

(2) INFORMATION FOR SEQ ID NO:292:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 65 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:292:

AGTCATCTTG GGGCTGTCGA GAGTAAAGG TATGTCAGTC ATAGTTAAGA CCTTCTTAAAGGTCT

65

-328-

(2) INFORMATION FOR SEQ ID NO:293:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 25 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:293:

GTAATTTCTA TCAGTAGAAC CCCGA

25

(2) INFORMATION FOR SEQ ID NO:294:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 60 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:294:

CAGCTCTCAT TTTCCATACA GTCAGTATCA ATTCTGGAAG AATTTCAGGA CATTAAAGAT 60

(2) INFORMATION FOR SEQ ID NO:295:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:295:

AGTCATCTTG GGGCT

15

(2) INFORMATION FOR SEQ ID NO:296:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 60 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

-329-

(ii) MOLECULE TYPE: cDNA
(iii) HYPOTHETICAL: NO
(iv) ANTISENSE: NO
(v) FRAGMENT TYPE:
(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:296:

CAGCTCTCAT TTTCCATACA GTCAGTATCA ATTCTGGAAG AATTTCAGA CATTAAAGAT 60

(2) INFORMATION FOR SEQ ID NO:297:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 16 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA
(iii) HYPOTHETICAL: NO
(iv) ANTISENSE: NO
(v) FRAGMENT TYPE:
(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:297:

AGTCATCTTG GGGCTA

16

(2) INFORMATION FOR SEQ ID NO:298:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 43 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA
(iii) HYPOTHETICAL: NO
(iv) ANTISENSE: NO
(v) FRAGMENT TYPE:
(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:298:

CAGCTCTCAT TTTCCATACA TTAAAGATAG TCATCTTGGG GCT

43

(2) INFORMATION FOR SEQ ID NO:299:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 44 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA
(iii) HYPOTHETICAL: NO
(iv) ANTISENSE: NO
(v) FRAGMENT TYPE:
(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:299:

-330-

CAGCTCTCAT TTTCCATACA TTAAAGATAG TCATCTTGGG GCTA

44

(2) INFORMATION FOR SEQ ID NO:300:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 22 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:300:

CAGCTCTCAT TTTCCATACA GT

22

(2) INFORMATION FOR SEQ ID NO:301:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 21 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:301:

CAGCTCTCAT TTTCCATACA T

21

(2) INFORMATION FOR SEQ ID NO:302:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 50 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:302:

GCCTGGTACA CTGCCAGGCG CTTCTGCAGG TCATCGGCAT CGCGGAGGAG

50

(2) INFORMATION FOR SEQ ID NO:303:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 50 base pairs
- (B) TYPE: nucleic acid

-331-

- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:303:

GCCTGGTACA CTGCCAGGCA CTTCTGCAGG TCATCGGCAT CGCGGAGGAG

50

- (2) INFORMATION FOR SEQ ID NO:304:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 21 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:304:

GATGCCGATG ACCTGCAGAA G

21

- (2) INFORMATION FOR SEQ ID NO:305:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 22 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:305:

GATGCCGATG ACCTGCAGAA GC

22

- (2) INFORMATION FOR SEQ ID NO:306:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 24 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO

-332-

- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:306:

GATGCCGATG ACCTGCAGAA GTGC

24

(2) INFORMATION FOR SEQ ID NO:307:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 12 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:307:

GATGATCCGA CG

12

(2) INFORMATION FOR SEQ ID NO:308:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 18 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:308:

CTGATGCGTC GGATCATC

18

(2) INFORMATION FOR SEQ ID NO:309:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 12 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:309:

GATGATCCGA CG

12

-333-

(2) INFORMATION FOR SEQ ID NO:310:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 35 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:310:

GGCGCGGACA TGGAGGACGT GTGCGGCCGC CTGGT

35

(2) INFORMATION FOR SEQ ID NO:311:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 34 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:311:

TCCGCGATGC CGATGACCTG CAGAAGCGCC TGGC

34

(2) INFORMATION FOR SEQ ID NO:312:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 27 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:312:

CGGCTGCGAT CACCGTGCGG CACAGCT

27

(2) INFORMATION FOR SEQ ID NO:313:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 27 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single

-334-

(D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:313:

CGGCTGCGAT CACCGTGCGG T

21

(2) INFORMATION FOR SEQ ID NO:314:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 27 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:314:

CGGCTGCGAT CACCGTGCGG AACAGCT

27

(2) INFORMATION FOR SEQ ID NO:315:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 22 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:315:

CGGCTGCGAT CACCGTGCGG CA

22

(2) INFORMATION FOR SEQ ID NO:316:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 22 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

-335-

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:316:

CGGCTGCGAT CACCGTGCGG TA

22

(2) INFORMATION FOR SEQ ID NO:317:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 21 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:317:

CGGCTGCGAT CACCGTGCGG A

21

(2) INFORMATION FOR SEQ ID NO:318:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 42 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:318:

ATCATCAACT GGAAGATCAG GTCAGGAGCC ACTTGCCANC CT

42

(2) INFORMATION FOR SEQ ID NO:319:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 33 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO

(v) FRAGMENT TYPE:

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:319:

ATCATCACAC TGGAAGACTC CAGGTCAGGA GCC

33

(2) INFORMATION FOR SEQ ID NO:320:

(i) SEQUENCE CHARACTERISTICS:

-336-

- (A) LENGTH: 48 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTISENSE: NO
- (v) FRAGMENT TYPE:
- (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:320:

ATCCACTACA ACTACATGTG TAACAGTTGG wGCwwGCC

-337-

WHAT IS CLAIMED IS:

1. A process for determining the sequence of a target nucleic acid molecule comprising the steps of:
 - 5 a) generating at least two nucleic acid fragments from the target nucleic acid; and
 - b) analyzing the at least two fragments by a mass spectrometry format, and thereby determine the sequence of the target nucleic acid molecule.
- 10 2. A process of claim 1, wherein in step a), an endonuclease is contacted with the target nucleic acid to generate the at least two nucleic acid fragments.
3. A process of claim 2, wherein the endonuclease is a restriction enzyme that can recognize and cleave at least one restriction site in the target nucleic acid.
- 15 4. A process of claim 2, wherein the target nucleic acid is a deoxyribonucleic acid and the nuclease is a deoxyribonuclease.
5. A process of claim 2, wherein the target nucleic acid is a ribonucleic acid and the nuclease is a ribonuclease.
- 20 6. A process of claim 5, wherein the ribonuclease is selected from the group consisting of: the G-specific T₁ ribonuclease, the A-specific U₂ ribonuclease, the A/U specific PhyM ribonuclease, the U/C specific ribonuclease A, the C-specific chicken liver ribonuclease and crisavitin.
7. A process of claim 1, wherein in step a), nucleic acid fragments are generated by performance of a combined amplification and
25 base-specific termination reaction.
8. A process of claim 7, wherein the combined amplification and base-specific termination reaction is performed using a first polymerase, which has a relatively low affinity towards at least one chain terminating

-338-

nucleotide and an a second polymerase, which has a relatively high affinity towards at least one chain terminating nucleotide.

9. A process of claim 8, wherein the first and second polymerases are thermostable DNA polymerases.

5 10. A process of claim 9, wherein the thermostable DNA polymerases are selected from the group consisting of: Taq DNA polymerase, AmpliTaq FS DNA polymerase, Deep Vent (exo-) DNA polymerase, Vent DNA polymerase, Vent (exo-) DNA polymerase, Vent DNA polymerase, Vent (exo-) DNA polymerase, Deep Vent DNA
10 polymerase, Thermo Sequenase, *exo(-) Pseudococcus furiosus (Pfu)* DNA polymerase, AmpliTaq, Ultman, 9 degree Nm, Tth, Hot Tub, *Pyrococcus furiosus (Pfu)* and *Pyrococcus woesei (Pwo)* DNA polymerase.

11. A process of claim 1, wherein the at least two nucleic acid fragments generated in step a) include mass modified nucleotides.

15 12. A process of claim 1, wherein the at least two fragments comprise a 3' tag.

13. A process of claim 1, wherein the at least two fragments comprise a 5' tag.

20 14. A process of claim 12 or 13, wherein the tag is a non-natural tag.

15. A process of claim 14, wherein the non-natural tag is selected from the group consisting of: an affinity tag and a mass marker.

16. A process of claim 15, wherein the affinity tag facilitates immobilization of the nucleic acid to a solid support.

25 17. A process of claim 16, wherein the affinity tag is biotin or a nucleic acid sequence that is capable of binding to a capture nucleic acid sequence that is bound to a solid support.

-339-

18. A process of claim 1, wherein the process additionally comprises the step of: ordering the at least two nucleic acid fragments to determine the sequence of the target nucleic acid.

19. A process for detecting a target nucleic acid present in a
5 biological sample, comprising the steps of:

- a) performing on a nucleic acid obtained from a biological sample; a first polymerase chain reaction using a first set of primers, which are capable of amplifying a portion of the nucleic acid containing the target nucleic acid, thereby producing a first amplification
10 product; and
- b) detecting the first amplification product by mass spectrometry, wherein detection of the target nucleic acid indicates that the target nucleic acid is present in the biological sample.

20. A process of claim 19, wherein prior to step b), a second
15 polymerase chain reaction is performed on the first amplification product using a second set of primers, which are capable of amplifying at least a portion of the first amplification product, which contains the target nucleic acid.

21. A process of claim 19 or 20, wherein prior to step b), the
20 target nucleic acid is immobilized to a solid support.

22. A process of claim 21, wherein the target nucleic acid is reversibly immobilized.

23. A process of claim 22, wherein the target nucleic acid can be
cleaved from the solid support by a chemical, enzymatic or physical
25 process.

24. A process of claim 23, wherein immobilization is accomplished via a photocleavable bond.

25. A process of claim 22, wherein the target nucleic acid is cleaved from the support during step b).

-340-

26. A process of claim 21, wherein the solid support is selected from the group consisting of: beads, flat surfaces, chips, capillaries, pins, combs and wafers.

27. A process of claim 21, wherein immobilization is
5 accomplished by hybridization between a complementary capture nucleic acid molecule immobilized to a solid support, and a portion of the nucleic acid molecule, which is distinct from the target nucleic acid sequence.

28. A process of claim 19 or 20, wherein prior to step b), the target nucleic acid is purified.

10 29. A process of claim 19 or 20, wherein the primer or first or second amplification product is conditioned.

30. A process of claim 29, wherein the primer or first or second amplification product is conditioned by phosphodiester backbone modification.

15 31. A process of claim 30, wherein the phosphodiester backbone modification is a cation exchange.

32. A process of claim 29, wherein the primer or first or second amplification product is conditioned by contact with an alkylating agent or trialkylsilyl chloride.

20 33. A process of claim 29, wherein conditioning is effected by including at least one nucleotide that reduces sensitivity for depurination in the primer or first or second amplification product.

34. A process of claim 33, wherein the nucleotide is an N7- or N9- deazapurine nucleotide or 2' fluoro 2' deoxy nucleotide.

25 35. A method for detecting neoplasia/malignancies in a tissue or cell sample, comprising detecting telomerase activity, mutation of a proto-oncogene, expression of a tumor specific gene in the sample by detecting nucleic acids that encode the telomerase, that are specific for the mutation or that encode the tumor-specific by mass spectrometry.

-341-

36. The method of claim 35 that is a method for detecting neoplasia/malagnancies in a tissue or cell sample, comprising:

- 5
- a) isolating telomerase from the sample and adding a synthetic DNA primer, which is optionally immobilized, complementary to a telomeric repeat, and all four deoxynucleotide triphosphates under conditions that result in telomerase specific extension of the synthetic DNA;
 - 10 b) amplifying the telomerase extended DNA product; and
 - c) detecting the DNA product by mass spectrometry, wherein telomerase-specific extension is indicative of neoplasia/malignancy.

15 37. The method of claim 36, wherein the primer contains a linker moiety for immobilization on a support; and the amplified primers are isolated conjugating the linker portion to a solid support.

38. The method of claim 35 that is a method for identifying transformed cells or tissues, comprising:

- 20
- a) in a cell or tissue sample, amplifying a portion of a proto-oncogene that includes a codon indicative of transformation, wherein one primer comprises a linker moiety for immobilization;
 - c) immobilizing DNA via the linker moiety to a solid support, optionally in the form of an array;
 - 25 d) hybridizing a primer complementary to the proto oncogene sequence that is upstream from the codon
 - e) adding 3dNTPs/1 ddNTP and DNA polymerase and extending the hybridized primer to the next ddNTP location;

-342-

- f) ionizing/volatizing the sample; and
- g) detecting the mass of the extended DNA, whereby mass indicates the presence of wild-type or mutant alleles. The presence of a mutant allele at the codon

5

is diagnostic for neoplasia.

39. The method of claim 38, wherein the proto-oncogene is the RET-proto-oncogene.

40. The method of claim 35 that is a method for detecting expression of a tumor-specific gene, comprising:

10

- a) isolating polyA RNA from the sample;
- c) preparing a cDNA library using reverse transcription;
- d) amplifying a cDNA product, or portion thereof, of the tumor-specific gene, wherein one oligo primer comprises a linker moiety;

15

- e) isolating the amplified product by immobilizing the DNA to a solid support via the linker moiety;
- f) optionally conditioning the DNA;
- g) ionizing/volatizing sample and detecting the presence of a DNA peak that is indicative of expression of the gene.

20

41. The method of claim 40, wherein the cells are bone marrow cells, the gene is the tyrosine hydroxylase gene, and expression of the gene is indicative of neuroblastoma.

42. A method for directly detecting a double-stranded nucleic acid using matrix-assisted laser desorption/ionization (MALDI)-time-of-flight (TOF) mass spectrometry, comprising:

25

- a) isolating a double-stranded DNA fragment from a cell or tissue sample;

-343-

- 5 b) preparing the double-stranded DNA for analysis under conditions that increase the ratio of dsDNA:ssDNA, wherein the conditions include one or all of the following: preparing samples for analysis at reduced temperatures (i.e. 4 ° C), and using of higher DNA concentrations in the matrix to drive duplex formation;
- c) ionizing/volatizing the sample of step b), wherein low acceleration voltage of the ions are used;
- d) detecting the presence of the double-stranded DNA.
- 10 43. A method for comparing DNA samples to discern relatedness or to detect mutations, comprising:
- a) obtaining biological a plurality of samples;
- b) amplifying a region of DNA from each sample that contains two or more microsatellite DNA repeat sequences;
- 15 c) ionizing/volatizing the amplified DNA;
- d) detecting the presence of the amplified DNA and comparing the molecular weight of the amplified DNA, wherein different sizes are indicative of non-identity between or among the samples.
- 20 44. The method of claim 43, wherein non-identity is indicative of the presence of a mutation in the DNA in one sample, non-relatedness or non-HLA compatibility between or among the individuals from whom the samples were obtained.
45. The method of claim 43 or 44, wherein a plurality of
- 25 markers are examined simultaneously.

-344-

46. A method for detecting a target nucleic acid in a sample, comprising:

a) amplifying a target nucleic acid sequence using;

(i) a first primer, wherein:

5 the 5'-end shares identity to a portion of the target DNA immediately downstream from the targeted codon followed by a sequence that introduces a unique restriction endonuclease site, and

10 the 3'-end primer is self-complementary; and
(ii) a second downstream primer that contains a tag;

b) immobilizing the double-stranded amplified DNA to a solid support via the linker moiety;

c) denaturing the immobilized DNA and isolating the non-immobilized DNA strand;

15 d) annealing the intracomplementary sequences in the 3'-end of the isolated non-immobilized DNA strand, such that the 3'-end is extendable by a polymerase;

f) extending the annealed DNA by adding DNA polymerase, 3 dNTPs/1 ddNTP;

20 g) cleaving the extended double stranded stem loop DNA with the unique restriction endonuclease and removing the cleaved stem loop DNA;

i) ionizing/volatizing the extended product; and

25 j) detecting the presence of the extended target nucleic acid, whereby the presence of a DNA fragment of a mass different from wild-type is indicative of a mutation at the target codon(s).

-345-

47. A method for detecting a target nucleic acid in a biological sample using RNA amplification, comprising:

amplifying the target nucleic acid using a primer comprising a region complementary to the target sequence and a region that encodes
5 a promoter;

synthesizing RNA using an RNA polymerase that recognizes the promoter;

detecting the resulting RNA using mass spectrometry.

48. A primers for mass spectrometric analyses, comprising all or
10 at least about 20, preferably about 16, bases of any of the sequence of nucleotides sequences set forth in SEQ ID NOs. 1-22, 24, 27-38, 41-86, 89, 92, 95, 98, 101-110, 112-123, 126, 128 and 129, wherein the primer is unlabeled.

49. The primers of claim 48, further comprising a mass
15 modifying moiety.

50. A process for detecting a target nucleic acid sequence present in a biological sample, comprising the steps of:

- a) obtaining a nucleic acid molecule containing a target nucleic acid sequence from a biological sample;
- 20 b) immobilizing the target sequence on the support via thiol linkages, whereby the target is present at a sufficient density to detect it using mass spectrometry;
- c) hybridizing a detector oligonucleotide with the target nucleic acid sequence;
- 25 d) removing unhybridized detector oligonucleotide;
- e) ionizing and volatilizing the product of step c); and
- f) detecting the detector oligonucleotide by mass spectrometry, wherein detection of the detector oligonucleotide indicates the presence of the target nucleic acid sequence in the biological sample.

-346-

51. The process of claim 50, wherein the target nucleic acid molecule is amplified prior to immobilization.

52. The process of claim 50 or 52, wherein at least one of the detector oligonucleotide or the target nucleic acid sequence has been
5 conditioned.

53. A process of any of claims 50-52, wherein the solid support is selected from the group consisting of: beads, flat surfaces, pins and combs.

54. A process of any of claims 50-53, wherein target nucleic
10 acid is immobilized in the form of an array.

55. A process of any of claims 50-54, wherein the support is a silicon wafer.

56. A process of any of claims 51-55, wherein the target nucleic acid molecule is amplified by an amplification procedure selected
15 from the group consisting of cloning, transcription, the polymerase chain reaction (PCR), the ligase chain reaction (LCR), and strand displacement amplification (SDA).

57. A process of any of claims 50-56, wherein the mass spectrometer is selected from the group consisting of: Matrix-Assisted
20 Laser Desorption/Ionization Time-of-Flight (MALDI-TOF), Electrospray (ES), Ion Cyclotron Resonance (ICR), and Fourier Transform.

58. A process of any of claims 50-57, wherein the sample is conditioned by mass differentiating at least two detector oligonucleotides or oligonucleotide mimetics to detect and distinguish at least two target
25 nucleic acid sequences simultaneously.

59. A process of claim 58, wherein the mass differentiation is achieved by differences in the length or sequence of the at least two oligonucleotides.

-347-

60. A process of claim 59, wherein the mass differentiation is achieved by the introduction of mass modifying functionalities in the base, sugar or phosphate moiety of the detector oligonucleotides.

5 61. A process of claim 58, wherein the mass differentiation is achieved by exchange of cations at the phosphodiester bond.

62. A process of any of claims 50-61, wherein the nucleic acid molecule obtained from a biological sample is amplified into DNA using mass modified dideoxynucleoside triphosphates and DNA dependent DNA polymerase prior to mass spectrometric detection.

10 63. A process of any of claims 50-62, wherein the nucleic acid molecule obtained from a biological sample is amplified into RNA using mass modified ribonucleoside triphosphates and DNA dependent RNA polymerase prior to mass spectrometric detection.

15 64. A process of any of claims 50-63, herein the target nucleic acid sequence is indicative of a disease or condition selected from the group consisting of a genetic disease, a chromosomal abnormality, a genetic predisposition, a viral infection, a fungal infection and a bacterial infection.

20 65. A method of determining a sequence of a nucleic acid, comprising the steps of:

(i) obtaining multiple copies of the nucleic acid to be sequenced:

(ii) cleaving the multiple copies from a first end to a second end with an exonuclease to sequentially release individual nucleotides;

25 (iii) identifying each of the sequentially released nucleotides by mass spectrometry; and

(iv) determining the sequence of the nucleic acid from the identified nucleotides, wherein the nucleic acid is immobilized by covalent attachment to a solid support via at least one sulfur atom.

-348-

66. A method of determining a sequence of a nucleic acid, comprising the steps of:

- (i) obtaining multiple copies of the nucleic acid to be sequenced;
- (ii) cleaving the multiple copies from a first end to a second end
- 5 with an exonuclease to produce multiple sets of nested nucleic acid fragments;
- (iii) determining the molecular weight value of each one of the sets of nucleic acid fragments by mass spectrometry; and
- (iv) determining the sequence of the nucleic acid from the
- 10 molecular weight values of the sets of nucleic acid fragments, wherein the nucleic acid is immobilized by covalent attachment to a solid support via at least one sulfur atom.

67. The process of claim 65 or 66, wherein the nucleic acids are covalently bound to a surface of the support at a density of at least 20

15 fmol/mm².

68. The method of any of claims 50-67, wherein immobilization is effected by a method comprising:

reacting a thiol-containing insoluble support with a nucleic acid comprising a thiol-reactive group under conditions such that a covalent

20 bond is formed;

thereby immobilizing the nucleic acid on the insoluble support.

69. The method of claim 68, further including the step of modifying the insoluble support with a thiol-containing reagent, to form a thiol-containing insoluble support.

25 70. The method of claim 68 or 69, wherein the thiol-reactive cross-linking reagent is N-succinimidyl (4-iodoacetyl) aminobenzoate (SIAB).

71. The method of claim 65 or claim 66, wherein the nucleic acid is a 2'-deoxyribonucleic acid (DNA).

-349-

72. The method of claim 65 or claim 66, wherein the nucleic acid is a ribonucleic acid (RNA).

73. The method of any of claims 65-71, wherein the exonuclease is selected from the group consisting of snake venom
5 phosphodiesterase, spleen phosphodiesterase, Bal-31 nuclease, *E. coli* exonuclease I, *E. coli* exonuclease VII, Mung Bean Nuclease, S1 Nuclease, an exonuclease activity of *E. coli* DNA polymerase 1, an exonuclease activity of a Klenow fragment of DNA polymerase 1, an exonuclease activity of T4 DNA polymerase, an exonuclease activity of
10 T7 DNA polymerase, an exonuclease activity of Taq DNA polymerase, an exonuclease activity of DEEP VENT DNA polymerase, *E. coli* exonuclease III, lambda exonuclease and an exonuclease activity of VENT_R DNA polymerase.

74. The method of any of claims 65-74, wherein the nucleic acid
15 comprises mass-modified nucleotides.

75. The method of claim 74, wherein the mass-modified nucleotides modulate the rate of the exonuclease activity.

76. The method of claim 74, wherein the sequentially released nucleotides are mass-modified subsequent to exonuclease release and
20 prior to mass spectrometric identification.

77. The method of claim 76, wherein the sequentially released nucleotides are mass-modified by contact with an alkaline phosphatase.

78. A method of any of claims 65-77, wherein the mass spectrometry format is matrix assisted laser desorption (MALDI) mass
25 spectrometry or electrospray (ES) mass spectrometry.

79. A method of any of claims 65-79, wherein immobilization is effected by a method, comprising:

-350-

reacting the surface of the substrate with a solution of 3-aminopropyltriethoxysilane to produce a uniform layer of primary amines on the surface of the substrate; and

derivatizing the surface of a substrate with iodoacetamido
5 functionalities by reacting the uniform layer of primary amines with a solution of N-succinimidyl (4-iodoacetyl) aminobenzoate (SIAB).

80. A primer, comprising all least about 20, preferably about 16, bases of any of the sequence of nucleotides sequences set forth in SEQ ID NOs. 1-22, 24, 27-38, 41-86, 89, 92, 95, 98, 101-110, 112-123,
10 126, 128 and 129.

81. The primers of claim 80 that is unlabeled, and optionally includes a mass modifying moiety, which is preferably attached to the 5' end.

82. The method of any of claims 1-79, wherein nucleic acid is
15 immobilized to a solid support via a selectively cleavable linker.

83. The method of claim 82, wherein the linker is thermocleavable, enzymatically cleavable, photocleavable or chemically cleavable.


82. The method of claim 82, wherein the linker is a trityl linker.
20

83. The method of claim 82, wherein the linker is selected from the group consisting of 1-(2-nitro-5-(3-O-4,4'-dimethoxytritylpropoxy)-phenyl)-1-O-((2-cyanoethoxy)-diisopropylaminophosphino)ethane and 1-(4-(3-O-4,4'-dimethoxytritylpropoxy)-3-methoxy-6-nitrophenyl)-1-O-((2-cyanoethoxy)-diisopropylaminophosphino)ethane.

25 84. A photolabile linker, comprising a compound of formula:

30

-351-



wherein:

R^{20} is selected from the group consisting of ω -(4,4'-dimethoxytrityloxy)alkyl and ω -hydroxyalkyl;


15 R^{21} is selected from the group consisting of hydrogen, alkyl, aryl, alkoxycarbonyl, aryloxycarbonyl and carboxy;

R^{22} is selected from the group consisting of hydrogen and (dialkylamino)(ω -cyanoalkoxy)P-;

t is 0-3; and

20 R^{50} is selected from the group consisting of alkyl, alkoxy, aryl and aryloxy.

85. The photocleavable linker of claim 84, wherein the linkers are of formula II:



(II)

35

-352-

wherein:

R²⁰ is selected from the group consisting of ω -(4,4'-dimethoxytrityloxy)alkyl, ω -hydroxyalkyl and alkyl;

5 R²¹ is selected from the group consisting of hydrogen, alkyl, aryl, alkoxy carbonyl, aryloxy carbonyl and carboxy;

R²² is selected from the group consisting of hydrogen and (dialkylamino)(ω -cyanoalkoxy)P-; and

10 X²⁰ is selected from the group consisting of hydrogen, alkyl or OR²⁰.

86. The photocleavable linker of claim 85, wherein:

R²⁰ is selected from the group consisting of 3-(4,4'-dimethoxytrityloxy)propyl, 3-hydroxypropyl and methyl;

15 R²¹ is selected from the group consisting of hydrogen, methyl and carboxy;

R²² is selected from the group consisting of hydrogen and (diisopropylamino)(2-cyanoethoxy)P-; and

X²⁰ is selected from the group consisting of hydrogen, methyl or OR²⁰.

20 87. The photocleavable linker of claim 85, wherein:

R²⁰ is 3-(4,4'-dimethoxytrityloxy)propyl;

R²¹ is methyl;

R²² is (diisopropylamino)(2-cyanoethoxy)P-; and

X²⁰ is hydrogen.

25 88. The photocleavable linker of claim 86, wherein:

R²⁰ is methyl;


R²¹ is methyl;

R²² is (diisopropylamino)(2-cyanoethoxy)P-; and

X²⁰ is 3-(4,4'-dimethoxytrityloxy)propoxy.

-353-

88. A photocleavable linker, comprising a compound of formula III:



15 wherein:

R^{23} is selected from the group consisting of hydrogen and (dialkylamino)(ω -cyanoalkoxy)P-;

R^{24} is selected from ω -hydroxyalkoxy, ω -(4,4'-dimethoxytrityloxy)alkoxy, ω -hydroxyalkyl and ω -(4,4'-dimethoxytrityloxy)alkyl, and is unsubstituted or substituted on the alkyl or alkoxy chain with one or more alkyl groups;

r and s are each independently 0-4; and

R^{50} is alkyl, alkoxy, aryl or aryloxy.

89. The photocleavable linker of claim 88, wherein:

25 R^{24} is ω -hydroxyalkyl or ω -(4,4'-dimethoxytrityloxy)alkyl, and is substituted on the alkyl chain with a methyl group.

90. The photocleavable linker of claim 88, wherein:

R^{23} is selected from the group consisting of hydrogen and (diisopropylamino)(2-cyanoethoxy)P-; and

30 R^{24} is selected from the group consisting of 3-hydroxypropoxy, 3-(4,4'-dimethoxytrityloxy)propoxy, 4-hydroxybutyl, 3-hydroxy-1-propyl, 1-hydroxy-2-propyl, 3-hydroxy-2-methyl-1-propyl, 2-hydroxyethyl, hydroxymethyl, 4-(4,4'-dimethoxytrityloxy)butyl, 3-(4,4'-

-354-

dimethoxytrityloxy)-1-propyl, 2-(4,4'-dimethoxytrityloxy)ethyl, 1-(4,4'-dimethoxytrityloxy)-2-propyl, 3-(4,4'-dimethoxytrityloxy)-2-methyl-1-propyl and 4,4'-dimethoxytrityloxymethyl.

91. The photocleavable linker of claim 90, wherein r and s are
5 both O.

92. The photocleavable linker of claim 91, wherein:

R²³ is (diisopropylamino)(2-cyanoethoxy)P-; and

R²⁴ is selected from the group consisting of 3-(4,4'-dimethoxytrityloxy)propoxy, 4-(4,4'-dimethoxytrityloxy)butyl, 3-(4,4'-dimethoxytrityloxy)propyl, 2-(4,4'-dimethoxytrityloxy)ethyl, 1-(4,4'-dimethoxytrityloxy)-2-propyl, 3-(4,4'-dimethoxytrityloxy)-2-methyl-1-propyl and 4,4'-
10 dimethoxytrityloxymethyl.

93. The photocleavable linker of claim 92, wherein:

R²⁴ is 3-(4,4'-dimethoxytrityloxy)propoxy.

94. The photocleavable linker of claim 84, where in the linker is
15 selected from the group consisting of 1-(2-nitro-5-(3-O-4,4'-dimethoxytritylpropoxy)phenyl)-1-O-((2-cyanoethoxy)-diisopropylaminophosphino)ethane and 1-(4-(3-O-4,4'-dimethoxytritylpropoxy)-3-methoxy-6-nitrophenyl)-1-O-((2-cyanoethoxy)-diisopropylaminophosphino)ethane.

1 / 123




FIG. 1A




FIG. 1B






FIG. 1C

THIS PAGE BLANK (USPTO)

2/123



MS



I = INTENSITY
 $m/z = \frac{\text{MASS}}{\text{CHARGE}}$

$H1 > H2 > H3$

D1 - D3 SIMILAR MOLECULAR WEIGHT

H : MASS-MODIFYING FUNCTION

---: POLYMERIC SUPPORT

FIG. 2

THIS PAGE BLANK (USPTO)




FIG. 3

THIS PAGE BLANK (USPTO)

4/123








FIG. 4

THIS PAGE BLANK (USPTO)





THIS PAGE BLANK (USPTO)

6 / 123

*FIG. 6A**FIG. 6B**FIG. 6C*


THIS PAGE BLANK (USPTO)

7 / 123




THIS PAGE BLANK (USPTO)

8/123

**FIG. 8**

THIS PAGE BLANK (USPTO)

**FIG. 9**

THIS PAGE BLANK (USPTO)

10/123




FIG. 10A-2




FIG. 10A-4




FIG. 10A-1






FIG. 10A-3

THIS PAGE BLANK (USPTO)

11 / 123

*FIG. 10B**FIG. 12A*

THIS PAGE BLANK (USPTO)

12/123




FIG. 10C

THIS PAGE BLANK (USPTO)

13 / 123




FIG. 11

THIS PAGE BLANK (USPTO)

14 / 123




FIG. 12B




FIG. 12C

THIS PAGE BLANK (USPTO)




FIG. 19




FIG. 13

THIS PAGE BLANK (USPTO)




FIG. 14

THIS PAGE BLANK (USPTO)

17/123




FIG. 15

THIS PAGE BLANK (USPTO)

18 / 123




FIG. 16

THIS PAGE BLANK (USPTO)




FIG. 17

THIS PAGE BLANK (USPTO)

20/123





FIG. 18



THIS PAGE BLANK (USPTO)

THIS PAGE BLANK (USPTO)

22/123

*FIG. 21A*

THIS PAGE BLANK (USPTO)

**FIG. 21B****FIG. 21C**

THIS PAGE BLANK (USPTO)

24 / 123

MOLECULAR WEIGHT OF THE VARIABLE FRAGMENTS IN Da:

			$\epsilon 2/\epsilon 2$	$\epsilon 3/\epsilon 3$	$\epsilon 4/\epsilon 4$	$\epsilon 2/\epsilon 3$	$\epsilon 2/\epsilon 4$	$\epsilon 3/\epsilon 4$
91 bp	SENSE	28421	X	X		X	X	X
	ANTISENSE	27864						
83 bp	SENSE	25747	X			X	X	
	ANTISENSE	25591						
72 bp	SENSE	22440			X		X	X
	ANTISENSE	21494						
48 bp	SENSE	14844		X	X	X	X	X
	ANTISENSE	14857						
35 bp	SENSE	10921		X	X	X	X	X
	ANTISENSE	10751						

FIG. 22A




FIG. 22B

THIS PAGE BLANK (USPTO)

25/123




FIG. 23A

THIS PAGE BLANK (USPTO)

26 / 123




FIG. 23B

THIS PAGE BLANK (USPTO)




FIG. 24

THIS PAGE BLANK (USPTO)

28 / 123




FIG. 25A





FIG. 25B

THIS PAGE BLANK (USPTO)

29 / 123

*FIG. 25C*

THIS PAGE BLANK (USP10)

30/123




FIG. 26

THIS PAGE BLANK (USPTO)

31 / 123






FIG. 27

THIS PAGE BLANK (USPTO)

32/123



**FIG. 28**

THIS PAGE BLANK (USPTO)



**FIG. 29**

THIS PAGE BLANK (USPTO)

34 / 123


*FIG. 30A**FIG. 30B*

THIS PAGE BLANK (USPTO)

*FIG. 31A**FIG. 31B*



THIS PAGE BLANK (USPTO)

36 /123

*FIG. 32*

THIS PAGE BLANK (USPTO)

37 / 123

*FIG. 33A**FIG. 33B*

THIS PAGE BLANK (USPTO)

38/123



506507508
IleIlePhe
ACCATTAAGAAAATATCATCTTTGGTGTTTCCTATGATGAATATAGAAGCGTCATC
primer ACCACAAAGGATACTACTTATATC (7289,8)
wildtype TAGAAACCCACAAAGGATACTACTTATATC (8846,8)
ΔF508 TA---ACCACAAAGGATACTACTTATATC (7891,2)
ΔI507 TAG---AAACCACAAAGGATACTACTTATATC (8846,8)

FIG. 34A

506507508
IleIlePhe
ACCATTAAGAAAATATCATCTTTGGTGTTTCCTATGATGAATATAGAAGCGTCATC
primer ACCACAAAGGATACTACTTATATC (7289,8)
wildtype CTTTATAGTAGAACCCACAAAGGATACTACTTATATC (11612,6)
ΔF508 CTTTATAGTA---ACCACAAAGGATACTACTTATATC (10657,0)
ΔI507 CTTTATAG---AAACCACAAAGGATACTACTTATATC (10666,0)
506Ser CGTAGAACCCACAAAGGATACTACTTATATC (9465,2)

FIG. 34B

THIS PAGE BLANK (USPTO)

**FIG. 35A****FIG. 35B**

THIS PAGE BLANK (USPTO)







FIG. 35D

THIS PAGE BLANK (USPTO)



$\Delta F508$ (7913, 0 / 7891, 2)
WILDTYPE (8873, 1 / 8846, 8)



FIG. 35E



$\Delta 508$ (10698, 7 / 10657, 0)
WILDTYPE (11654, 1 / 11612, 6)

FIG. 35F

THIS PAGE BLANK (USPTO)

**FIG. 35G****FIG. 35H**

THIS PAGE BLANK (USPTO)

43 / 123




FIG. 36





FIG. 37

THIS PAGE BLANK (USPTO)

44 / 123

*FIG. 38*

THIS PAGE BLANK (USPTO)

45 / 123

1 2 3 4 5 6




FIG. 39

THIS PAGE BLANK (USPTO)

46 / 123




FIG. 40A




FIG. 40B

THIS PAGE BLANK (USPTO)




FIG. 41A




FIG. 41B

THIS PAGE BLANK (USPTO)

48/123




FIG. 42A




FIG. 42B

THIS PAGE BLANK (USPTO)

49 / 123




FIG. 43A




FIG. 43B

THIS PAGE BLANK (USPTO)

50 / 123




FIG. 44A

THIS PAGE BLANK (USPTO)

51 / 123




FIG. 44B

THIS PAGE BLANK (USPTO)

52 / 123




FIG. 44C

THIS PAGE BLANK (USPTO)

53/123




FIG. 44D

THIS PAGE BLANK (USPTO)




FIG. 45

THIS PAGE BLANK (USPTO)

THIS PAGE BLANK (USPTO)

55 / 123




FIG. 46

THIS PAGE BLANK (USPTO)

56 / 123




FIG. 47A

THIS PAGE BLANK (USPTO)

57/123




FIG. 47B

THIS PAGE BLANK (USPTO)

58/123




FIG. 47C

THIS PAGE BLANK (USPTO)

59/123




FIG. 47D

THIS PAGE BLANK (USPTO)

60/123

FIG. 48A




FIG. 48B




FIG. 48C





FIG. 48D



THIS PAGE BLANK (11/17/70)

61/123




FIG. 49A

THIS PAGE BLANK (USPTO)

62 / 123




FIG. 49B

THIS PAGE BLANK (USPTO)

63 / 123




FIG. 49C

THIS PAGE BLANK (USPTO)

64/123




FIG. 49D

THIS PAGE BLANK (USPTO)

65/123

PARTIAL SEQUENCE OF THE β -GLOBIN TEMPLATE
 3'-(H)_n-ACCACGTGGACTGAG GACACCTCTT CAGACGGCAA TGACGOGACA CCCC GTTCCA CTTGCACCTA-(N)_n-5'

5-TGCACCTGACTC	3' (PRIME)
5-TGCACCTGACTC	C-3'
5-TGCACCTGACTC	CT-3'
5-TGCACCTGACTC	CTG-3'
5-TGCACCTGACTC	CTGT-3'
5-TGCACCTGACTC	CTGTG-3'
5-TGCACCTGACTC	CTGTGG-3'
5-TGCACCTGACTC	CTGTGA-3'
5-TGCACCTGACTC	CTGTGGAG-3'
5-TGCACCTGACTC	CTGTGGAGA-3'
5-TGCACCTGACTC	CTGTGGAGAA-3'
5-TGCACCTGACTC	CTGTGGAGAA G-3'
5-TGCACCTGACTC	CTGTGGAGAA GT-3'
5-TGCACCTGACTC	CTGTGGAGAA GTC-3'
5-TGCACCTGACTC	CTGTGGAGAA GTCT-3'
5-TGCACCTGACTC	CTGTGGAGAA GTCTG-3'
5-TGCACCTGACTC	CTGTGGAGAA GTCTGC-3'
5-TGCACCTGACTC	CTGTGGAGAA GTCTGCC-3'
5-TGCACCTGACTC	CTGTGGAGAA GTCTGCCG-3'
5-TGCACCTGACTC	CTGTGGAGAA GTCTGCCGT-3'
5-TGCACCTGACTC	CTGTGGAGAA GTCTGCCGT-3'
5-TGCACCTGACTC	CTGTGGAGAA GTCTGCCGT A-3'
5-TGCACCTGACTC	CTGTGGAGAA GTCTGCCGT AC-3'
5-TGCACCTGACTC	CTGTGGAGAA GTCTGCCGT ACT-3'
5-TGCACCTGACTC	CTGTGGAGAA GTCTGCCGT ACTG-3'
5-TGCACCTGACTC	CTGTGGAGAA GTCTGCCGT ACTGC-3'
5-TGCACCTGACTC	CTGTGGAGAA GTCTGCCGT ACTGCC-3'
5-TGCACCTGACTC	CTGTGGAGAA GTCTGCCGT ACTGCCC-3'
5-TGCACCTGACTC	CTGTGGAGAA GTCTGCCGT ACTGCCCT-3'
5-TGCACCTGACTC	CTGTGGAGAA GTCTGCCGT ACTGCCCTG-3'
5-TGCACCTGACTC	CTGTGGAGAA GTCTGCCGT ACTGCCCTGT-3'
5-TGCACCTGACTC	CTGTGGAGAA GTCTGCCGT ACTGCCCTGT G-3'
5-TGCACCTGACTC	CTGTGGAGAA GTCTGCCGT ACTGCCCTGT GG-3'
5-TGCACCTGACTC	CTGTGGAGAA GTCTGCCGT ACTGCCCTGT GGG-3'
5-TGCACCTGACTC	CTGTGGAGAA GTCTGCCGT ACTGCCCTGT GGGG-3'
5-TGCACCTGACTC	CTGTGGAGAA GTCTGCCGT ACTGCCCTGT GGGGC-3'
5-TGCACCTGACTC	CTGTGGAGAA GTCTGCCGT ACTGCCCTGT GGGGCA-3'
5-TGCACCTGACTC	CTGTGGAGAA GTCTGCCGT ACTGCCCTGT GGGGCAA-3'
5-TGCACCTGACTC	CTGTGGAGAA GTCTGCCGT ACTGCCCTGT GGGGCAAG-3'
5-TGCACCTGACTC	CTGTGGAGAA GTCTGCCGT ACTGCCCTGT GGGGCAAGG-3'
5-TGCACCTGACTC	CTGTGGAGAA GTCTGCCGT ACTGCCCTGT GGGGCAAGGT-3'
12 met PRIMER	

FIG. 50A

THIS PAGE BLANK (USPTO)

66/123

REACTION STOPPED WITH			
ddATP	ddCTP	ddGTP	ddTTP
3581.4 da	3581.4 da 3854.6 da	3581.4 da	3581.4 da
		4488.0 da	4158.9 da
		5120.4 da 5448.6 da	4791.2 da
5760.8 da		6089.0 da	
6401.2 da 6713.4 da		7041.6 da	
	7634.0 da		7344.8 da
		8267.4 da	7938.2 da
	8555.6 da 8844.8 da	9174.0 da	
			9477.2 da 9781.4 da
10094.6 da	10382.8 da		
		11016.2 da	10687.0 da
	11304.4 da 11593.6 da 11652.8 da		
		12516.2 da	12187.0 da 12819.4 da
		13148.6 da 13476.8 da 13805.0 da 14133.2 da	
	14421.4 da		
14734.6 da 15146.8 da		15375.0 da 15703.2 da	
			16006.4 da

FIG. 50B

THIS PAGE BLANK (USPTO)

67 / 123

SEQUENCE OF THE AMPLIFIED 209 bp PCR-PRODUCT OF THE β -GLOBIN GENE

FORWARD PRIMER: β 2
CATTGCTTC TGACACAACT GTGTCACTA GCAACCTCAA ACAGACACCA
12mer PRIMER
TGGTGCACCT GACTCCTGTG GAGAAGTCTG CCGTTACTGC CCTGTGGGGC
AAGGTGAACG TGGATGAAGT TGGTGGTGAG GCCCTGGGCA GGTGGGTATC
AAGGTTACAA GACAGGTTTA AGGAGACCAA TAGAACTGG GCATGTGGAG
ACAGAGAAG
REVERSE PRIMER β 11

FIG. 51

THIS PAGE BLANK (USPTO)

THIS PAGE BLANK

69/123

FIG. 53A




FIG. 53B




FIG. 53C




FIG. 53D







FIG. 53E



THIS PAGE BLANK (USPTO)

70/123

FIG. 54A



THIS PAGE BLANK

71/123

5' -GTGTGTGTGTGTGTGTGTTTT (TT) (TT) AACAGGGATTGGGGAATTATTGAGA-3'
PRIMER TTGTCCCTAAACCCCTT (4448.0)
T5 ALLELE CAAAAA --- TTGTCCCTAAACCCCTT (6890.6)
T7 ALLELE CAAAAA AA -- TTGTCCCTAAACCCCTT (7515.0)
T9 ALLELE CAAAAA AA AA TTGTCCCTAAACCCCTT (8139.4)

FIG. 55

THIS PAGE BLANK (USPTO)

FIG. 56A*FIG. 56B*

THIS PAGE BLANK (USPTO)

73/123




FIG. 57A




FIG. 57B

THIS PAGE BLANK (USPTO)

74 / 123

FIG. 58A




FIG. 58B





FIG. 58C



THIS PAGE BLANK (USPTO)

75/123




FIG. 59A

FIG. 59B

THIS PAGE BLANK (USPTO)

76/123




FIG. 59C

FIG. 59D

THIS PAGE BLANK (USPTO)

77/123








FIG. 60

THIS PAGE BLANK (USPTO)

[illegible]

THIS PAGE BLANK (USPTO)

79/123




FIG. 62

THIS PAGE BLANK (USPTO)

80/123




FIG. 63

THIS PAGE BLANK (USPTO)

81/123




FIG. 64

THIS PAGE BLANK (USPTO)

82/123







FIG. 65A

ddTTP + dNTP (N=A,C,G)										ddATP + dNTP (N=C,T,G)									
CGG	CTG	CGA	TCA	CCG	TGC	GG	C	ACA	GCT	CGG	CTG	CGA	TCA	CCG	TGC	GG	C	A	
WILDTYPE 8246 Da										WILDTYPE 6721 Da									
CGG	CTG	CGA	TCA	CCG	TGC	GG	T			CGG	CTG	CGA	TCA	CCG	TGC	GG	T	A	
6423 Da										6736 Da									
CGG	CTG	CGA	TCA	CCG	TGC	GG	A	ACA	GCT	CGG	CTG	CGA	TCA	CCG	TGC	GG	A		
8270 Da										6432 Da									

FIG. 65B




THIS PAGE BLANK (USPTO)

83/123

*FIG. 66A**FIG. 66B**FIG. 66C*




THIS PAGE BLANK (USPTO)

84 / 123

FIG. 67A*FIG. 67B**FIG. 67C*


THIS PAGE BLANK (USPTO)

85/123

FIG. 67D*FIG. 67E**FIG. 67F*

THIS PAGE BLANK (USPTO)

86 / 123




$\text{R}^1 = \text{COO}(\text{CH}_2)_n$; (PARA OR META)
 $\text{R}^2 = \text{MeO}; \text{H}$
 $\text{R}^3 = \text{MeO}; \text{H}$
 $\text{R}^4 = \text{Cl}; \text{H}$
 $\text{R}^5 = (\text{CH}_2)_n; (\text{CH}_2)_n \text{CONH}(\text{CH}_2)_n$

FIG. 68

THIS PAGE BLANK (USPTO)



THIS PAGE BLANK

87/123

*FIG. 69*

THIS PAGE BLANK (USPTO)

88/123

*FIG. 70**FIG. 71*

THIS PAGE BLANK (USPTO)

FIG. 72A

LOOP-PROBE FOR MUTATION DETECTION IN THE β -GLOBIN GENE AT CODON 5 AND CODON 6


a) PCR-AMPLIFICATION USING β -GLOBIN GENE SPECIFIC PRIMERS WITH MODIFICATIONS

5' - GAGTCAGGTCGCCATGCCCTCAACAGACACC ATG GTG CAC CTG ACT CCT GAG GAG N₁₁₃ CTGGCCATGTGAGACACAGA-3' ;
3' - CTCAGTCCACCGCGGTACGGAGTTTGCTGTGG TAC CAC GTG CAC TGA GGA CTC CTC N₁₁₃ GACCCGTACACCTGTGTCICT-5' -bio
C+ TA

b) DENATURATION OF BIOTIN-STREPTAVIDIN CAPTURED dsDNA

3'-CTCAGTCCACCGGTACGAGTTGTCGTGG TAC CGC GTG GAC TGA TGA CTC CTC N₁₁₃ GACCGTACACCTGCTCTCT-5'-bio

c) ANNEALING OF COMPLEMENTARY 3'-END (LOOP)




THIS PAGE BLANK (USPTO)


90/123

FIG. 72B


d) PRIMER OLIGO BASE EXTENSION (PROBE) USING ddATP AND dCTP, dGTP, dTTP



e) Cfo I RESTRICTION ENZYME DIGEST



f) MALDI TOF MASS SPEC ANALYSIS



THIS PAGE BLANK (USPTO)

91 / 123




FIG. 73A

THIS PAGE BLANK (USPTO)

92/123





FIG. 73B

THIS PAGE BLANK (USPTO)

93/123

*FIG. 73C*

THIS PAGE BLANK (USPTO)

94/123




FIG. 73D

THIS PAGE BLANK (11/27/20)

95/123

5' CAGCTCTCATTTCCATACAGTCAGTATCAATTCTGGAAGAATTTCCAGACATTAAA
GATAGTCATCTTGGGGCT 3'

FIG. 74

5' ACCTAGCGTTCAGTTCGACTGAGATAATACGACTCATATAGCAGCTCTCATTTCATAC3'
RANDOM SEQUENCE T7 PROMOTER SEQUENCE CKR-5 HOMOLOGUE

FIG. 75

THIS PAGE BLANK (USPTO)

96/123




FIG. 76

THIS PAGE BLANK (USPTO)

97/123

FIG. 77A

RNase T₁
GpN →




FIG. 77B

ALKALINE
HYDROLYSIS




FIG. 77C

U₂
ApN →




FIG. 77D

PhyM
ApN →
UpN →
GpN →





FIG. 77E

A
UpN →
GpN →



THIS PAGE BLANK (USPTO)

98/123




FIG. 78

THIS PAGE BLANK (USPTO)

99/123




FIG. 79A









FIG. 79B



THIS PAGE BLANK (USPTO)

100/123

FIG. 80A*FIG. 80B**FIG. 80C**FIG. 80D**FIG. 80E*

THIS PAGE BLANK (USPTO)

101/123

*FIG. 81A**FIG. 81B*

THIS PAGE BLANK (USPTO)

102/123

FIG. 82A

β -2
CAITTGCTTC TGACACAAC GTGTTCACTA GCAACCTCAA ACAGACACC ATG GTG CAC CTG ACT C
 β -TAG1
 GTGTCGCC ATG GTG CAC CTG ACT C
 1 2 3 4 5 6 7 8 (CODON)
 CCT GAG GAG AAG TCT GCC GTT
 -CT A HbC ---
 THALASSEMIA (COD5 ACT)
 T HbS

β -TAG2
 CGCTGTGGT GAG GCC CTG GGC A
 27 28 29 30 (CODON)
 ACT GCC CTG TGG GGC AAG GTG AAC GTG GAT GAA GTT GGT GGT GAG GCC CTG GGC AG GTGGTATCA AGGTTACAAG
 A THALASSEMIA (IVS -1 nt1 G>A)
 C THALASSEMIA (IVS -1 nt5 G>C)
 CTHALASSEMIA (IVS -1 nt6 T>C)

ACAGGTTTAA GGACACCAAT AGAACTGGG CATGTGGAGA CAGACAAG
 β -11

FIG. 82B

(1) SINGLE STRANDED
 (STV) BIO3' - ACCTCAGTCCATCGTCAGGACCAG - 5'
 UNIVERSAL SS SEQUENCE COMPLEMENTARY
 E.G. β -TAG1

(2) PARTLY DOUBLE STRANDED
 5' - TGGAGTCAGGTAGCAGTC - 3'
 (STV) BIO 3' - ACCTCAGTCCATCGTCAGGACCAG - 5'
 UNIVERSAL DS SEQUENCE COMPLEMENTARY
 E.G. β -TAG2

THIS PAGE BLANK (USPTO)

103/123





FIG. 83

THIS PAGE BLANK (USPTO)

104/123

*FIG. 84*

THIS PAGE BLANK (USPTO)

105/123


MASS(m/z)

FIG. 85

HIS PAGE BLANK (USPTO)

106/123




FIG. 86

THIS PAGE BLANK (USPTO)

107/123

FIG. 87A

PCR PRODUCT
CKR_A-F
CAGCTCTCAT TTTCATACA GTCAGTATCA ATTCTGGAAG AATTCCAGACA TTAAGAT
AGTCATCTTG GGGCT GTCGAGAGTA AAAGGTATGT CAGTCATAGT TAAGACCTTC TTAAGGGTCT CKR_A-R-BIO
GTAATTTCTA TCAGTAGAAC CCCGA-BIOTIN

FIG. 87B

SIZE ANALYSES: WILDTYPE
SENSE STRAND W/O A:
CAGCTCTCAT TTTCATACA GTCAGTATCA ATTCTGGAAG AATTCCAGACA CATTAAAGAT
AGTCATCTTG GGGCT
SENSE STRAND WITH A:
CAGCTCTCAT TTTCATACA GTCAGTATCA ATTCTGGAAG AATTCCAGACA CATTAAAGAT
AGTCATCTTG GGGCTA

75 bp 23036 Da

78 bp 23349 Da

FIG. 87C

SIZE ANALYSES: 32 bp DELETION
SENSE STRAND W/O A:
CAGCTCTCAT TTTCATACA TTAAGAT AGTCATCTTG GGGCT
SENSE STRAND WITH A:
CAGCTCTCAT TTTCATACA TTAAGAT AGTCATCTTG GGGCTA

43 bp 13143 Da

44 bp 13456 Da

22 bp 6604 Da

21 bp 6275 Da

FIG. 87D

PROBE ANALYSES: WILDTYPE (ddTP TERMINATION):
CAGCTCTCAT TTTCATACA GT

FIG. 87E

PROBE ANALYSES: 32 bp DELETION (ddTP TERMINATION):
CAGCTCTCAT TTTCATACA T

THIS PAGE BLANK (USPTO)

108/123

DETECTION OF A 32 bp DELETION IN THE CHEMOKINE RECEPTOR BY PCR AND 15% NATIVE PAGE




FIG. 88

THIS PAGE BLANK (USPTO)

109/123

HETEROZYGOUS




FIG. 89B

HETEROZYGOUS





FIG. 89A



THIS PAGE BLANK (USPTO)

110/123



THIS PAGE BLANK (USPTO)

111/123



THIS PAGE BLANK (USPTO)

112 / 123




FIG. 91

THIS PAGE BLANK (USPTO)

THIS PAGE BLANK (USPTO)

114/123





FIG. 93

THIS PAGE BLANK (USPTO)

115/123



THIS PAGE BLANK (USPTO)

116/123

1. MICROTITER PLATE ISOTHERMAL SEQUENCING
 2. 'PIEZOELECTRIC PIPETTE' TRANSFER
 3. CORETECH MS
 P-ATCCACTACACTACATGTGTACACGTTGGWGCWwGddGddC
 5 10 15 20 25 30 35 40




FIG. 95A




FIG. 95B

THIS PAGE BLANK (USPTO)

117/123




FIG. 95D




FIG. 95C

THIS PAGE BLANK (USPTO)

118 / 123




FIG. 96A




FIG. 96B

THIS PAGE BLANK (USPTO)

119/123




FIG. 97A

THIS PAGE BLANK (USPTO)

120/123




FIG. 97B

THIS PAGE BLANK (USPTO)

121/ 123




FIG. 98

THIS PAGE BLANK (USPTO)

122/123




FIG. 99

Apo E
 CODONS 112&158
 • ISOTHERMAL PROBE
 • PIN TRANSFER (~10nL)
 • MALDI-MS

70% EXPECTED
 ALLELIC FREQUENCY

THIS PAGE BLANK (USPTO)

123/123

1-20: 5'-GUC ACU ACA GGU GAG CUC CA-3'




FIG. 100

THIS PAGE BLANK (USPTO)

From the INTERNATIONAL SEARCHING AUTHORITY

PCT

**NOTIFICATION OF TRANSMITTAL OF
THE INTERNATIONAL SEARCH REPORT
OR THE DECLARATION**

(PCT Rule 44.1)

To:
BROWN, MARTIN, HALLER & McCLAIN
Attn. SEIDMAN, Stephanie L.
1660 Union Street
San Diego, CA 92101-2926
UNITED STATES OF AMERICA

Date of mailing
(day/month/year) 28/08/1998

Applicant's or agent's file reference
7352-2004PC

FOR FURTHER ACTION See paragraphs 1 and 4 below

International application No.
PCT/US 97/ 20444

International filing date
(day/month/year) 06/11/1997

Applicant
SEQUENOM, INC. et al.

1. ☒ The applicant is hereby notified that the International Search Report has been established and is transmitted herewith.

Filing of amendments and statement under Article 19:

The applicant is entitled, if he so wishes, to amend the claims of the International Application (see Rule 46):

When? The time limit for filing such amendments is normally 2 months from the date of transmittal of the International Search Report; however, for more details, see the notes on the accompanying sheet.

Where? Directly to the International Bureau of WIPO
34, chemin des Colombettes
1211 Geneva 20, Switzerland
Facsimile No.: (41-22) 740.14.35

For more detailed instructions, see the notes on the accompanying sheet.

2. ☐ The applicant is hereby notified that no International Search Report will be established and that the declaration under Article 17(2)(a) to that effect is transmitted herewith.

3. ☐ With regard to the protest against payment of (an) additional fee(s) under Rule 40.2, the applicant is notified that:

☐ the protest together with the decision thereon has been transmitted to the International Bureau together with the applicants's request to forward the texts of both the protest and the decision thereon to the designated Offices.

☐ no decision has been made yet on the protest; the applicant will be notified as soon as a decision is made.

4. **Further action(s):** The applicant is reminded of the following:

Shortly after 18 months from the priority date, the international application will be published by the International Bureau. If the applicant wishes to avoid or postpone publication, a notice of withdrawal of the international application, or of the priority claim, must reach the International Bureau as provided in Rules 90 bis.1 and 90 bis.3, respectively, before the completion of the technical preparations for international publication.

Within 19 months from the priority date, a demand for international preliminary examination must be filed if the applicant wishes to postpone the entry into the national phase until 30 months from the priority date (in some Offices even later).

Within 20 months from the priority date, the applicant must perform the prescribed acts for entry into the national phase before all designated Offices which have not been elected in the demand or in a later election within 19 months from the priority date or could not be elected because they are not bound by Chapter II.

Name and mailing address of the International Searching Authority



European Patent Office, P.B. 5818 Patentlaan 2
NL-2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Maria Van der Hoeven

THIS PAGE BLANK (USPTO)

NOTES TO FORM PCT/ISA/220

These Notes are intended to give the basic instructions concerning the filing of amendments under article 19. The Notes are based on the requirements of the Patent Cooperation Treaty, the Regulations and the Administrative Instructions under that Treaty. In case of discrepancy between these Notes and those requirements, the latter are applicable. For more detailed information, see also the PCT Applicant's Guide, a publication of WIPO.

In these Notes, "Article", "Rule", and "Section" refer to the provisions of the PCT, the PCT Regulations and the PCT Administrative Instructions respectively.

INSTRUCTIONS CONCERNING AMENDMENTS UNDER ARTICLE 19

The applicant has, after having received the international search report, one opportunity to amend the claims of the international application. It should however be emphasized that, since all parts of the international application (claims, description and drawings) may be amended during the international preliminary examination procedure, there is usually no need to file amendments of the claims under Article 19 except where, e.g. the applicant wants the latter to be published for the purposes of provisional protection or has another reason for amending the claims before international publication. Furthermore, it should be emphasized that provisional protection is available in some States only.

What parts of the international application may be amended?

Under Article 19, only the claims may be amended.

During the international phase, the claims may also be amended (or further amended) under Article 34 before the International Preliminary Examining Authority. The description and drawings may only be amended under Article 34 before the International Examining Authority.

Upon entry into the national phase, all parts of the international application may be amended under Article 28 or, where applicable, Article 41.

When?

Within 2 months from the date of transmittal of the international search report or 16 months from the priority date, whichever time limit expires later. It should be noted, however, that the amendments will be considered as having been received on time if they are received by the International Bureau after the expiration of the applicable time limit but before the completion of the technical preparations for international publication (Rule 46.1).

Where not to file the amendments?

The amendments may only be filed with the International Bureau and not with the receiving Office or the International Searching Authority (Rule 46.2).

Where a demand for international preliminary examination has been /is filed, see below.

How?

Either by cancelling one or more entire claims, by adding one or more new claims or by amending the text of one or more of the claims as filed.

A replacement sheet must be submitted for each sheet of the claims which, on account of an amendment or amendments, differs from the sheet originally filed.

All the claims appearing on a replacement sheet must be numbered in Arabic numerals. Where a claim is cancelled, no renumbering of the other claims is required. In all cases where claims are renumbered, they must be renumbered consecutively (Administrative Instructions, Section 205(b)).

The amendments must be made in the language in which the international application is to be published.

What documents must/may accompany the amendments?

Letter (Section 205(b)):

The amendments must be submitted with a letter.

The letter will not be published with the international application and the amended claims. It should not be confused with the "Statement under Article 19(1)" (see below, under "Statement under Article 19(1)").

The letter must be in English or French, at the choice of the applicant. However, if the language of the international application is English, the letter must be in English; if the language of the international application is French, the letter must be in French.

THIS PAGE BLANK (USPTO)

NOTES TO FORM PCT/ISA/220 (continued)

The letter must indicate the differences between the claims as filed and the claims as amended. It must, in particular, indicate, in connection with each claim appearing in the international application (it being understood that identical indications concerning several claims may be grouped), whether

- (i) the claim is unchanged;
- (ii) the claim is cancelled;
- (iii) the claim is new;
- (iv) the claim replaces one or more claims as filed;
- (v) the claim is the result of the division of a claim as filed.

The following examples illustrate the manner in which amendments must be explained in the accompanying letter:

1. [Where originally there were 48 claims and after amendment of some claims there are 51]:
"Claims 1 to 29, 31, 32, 34, 35, 37 to 48 replaced by amended claims bearing the same numbers; claims 30, 33 and 36 unchanged; new claims 49 to 51 added."
2. [Where originally there were 15 claims and after amendment of all claims there are 11]:
"Claims 1 to 15 replaced by amended claims 1 to 11."
3. [Where originally there were 14 claims and the amendments consist in cancelling some claims and in adding new claims]:
"Claims 1 to 6 and 14 unchanged; claims 7 to 13 cancelled; new claims 15, 16 and 17 added." or
"Claims 7 to 13 cancelled; new claims 15, 16 and 17 added; all other claims unchanged."
4. [Where various kinds of amendments are made]:
"Claims 1-10 unchanged; claims 11 to 13, 18 and 19 cancelled; claims 14, 15 and 16 replaced by amended claim 14; claim 17 subdivided into amended claims 15, 16 and 17; new claims 20 and 21 added."

"Statement under article 19(1)" (Rule 46.4)

The amendments may be accompanied by a statement explaining the amendments and indicating any impact that such amendments might have on the description and the drawings (which cannot be amended under Article 19(1)).

The statement will be published with the international application and the amended claims.

It must be in the language in which the international application is to be published.

It must be brief, not exceeding 500 words if in English or if translated into English.

It should not be confused with and does not replace the letter indicating the differences between the claims as filed and as amended. It must be filed on a separate sheet and must be identified as such by a heading, preferably by using the words "Statement under Article 19(1)."

It may not contain any disparaging comments on the international search report or the relevance of citations contained in that report. Reference to citations, relevant to a given claim, contained in the international search report may be made only in connection with an amendment of that claim.

Consequence if a demand for international preliminary examination has already been filed

If, at the time of filing any amendments under Article 19, a demand for international preliminary examination has already been submitted, the applicant must preferably, at the same time of filing the amendments with the International Bureau, also file a copy of such amendments with the International Preliminary Examining Authority (see Rule 62.2(a), first sentence).

Consequence with regard to translation of the international application for entry into the national phase

The applicant's attention is drawn to the fact that, where upon entry into the national phase, a translation of the claims as amended under Article 19 may have to be furnished to the designated/elected Offices, instead of, or in addition to, the translation of the claims as filed.

For further details on the requirements of each designated/elected Office, see Volume II of the PCT Applicant's Guide.

THIS PAGE BLANK (USPTO)

PCT

INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference 7352-2004PC	FOR FURTHER ACTION see Notification of Transmittal of International Search Report (Form PCT/ISA/220) as well as, where applicable, item 5 below.	
International application No. PCT/US 97/ 20444	International filing date (day/month/year) 06/11/1997	(Earliest) Priority Date (day/month/year) 06/11/1996
Applicant SEQUENOM, INC. et al.		

This International Search Report has been prepared by this International Searching Authority and is transmitted to the applicant according to Article 18. A copy is being transmitted to the International Bureau.

This International Search Report consists of a total of 10 sheets.

☒ It is also accompanied by a copy of each prior art document cited in this report.

1. ☐ Certain claims were found unsearchable (see Box I).

2. ☒ Unity of invention is lacking (see Box II).

3. ☒ The international application contains disclosure of a nucleotide and/or amino acid sequence listing and the international search was carried out on the basis of the sequence listing

☒ filed with the international application.

☐ furnished by the applicant separately from the international application,

☐ but not accompanied by a statement to the effect that it did not include matter going beyond the disclosure in the international application as filed.

☐ Transcribed by this Authority

4. With regard to the title, ☒ the text is approved as submitted by the applicant.

☐ the text has been established by this Authority to read as follows:

5. With regard to the abstract,

☒ the text is approved as submitted by the applicant.

☐ the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this International Search Report, submit comments to this Authority.

6. The figure of the drawings to be published with the abstract is:

Figure No. _____ ☐ as suggested by the applicant.

☐ because the applicant failed to suggest a figure.

☐ because this figure better characterizes the invention.

☒ None of the figures.

THIS PAGE BLANK (USPTO)

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US 97/ 20444

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☐ Claims Nos.:
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

SEE ANNEXES

1. ☒ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☒ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

THIS PAGE BLANK (USPTO)

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

it should be further noted that "claims 82-83" as designated herein refer to two claims 82 and two claims 83 which were filed as follows, claims 82, 83 followed by a second claim 82 and a second claim 83)

1. Claims 1-18, partially 82-83:

A method for determining the sequence of a target nucleic acid involving the generation of base specifically terminated fragments.

2. Claims 19-34, partially 82-83:

A method for detecting a target nucleic acid present in a biological sample based on a nested polymerase chain amplification reaction.

3. Claim 35 partially (in that it relates to the detection of neoplasia/malignancies by detecting telomerase), claims 36 and 37, and partially 82-83:

An assay for the detection of neoplasia/malignancies based on telomerase specific extension of a substrate primer and a subsequent amplification of the telomerase specific extension product by PCR.

4. Claim 35 partially (in that it relates to the detection of neoplasia/malignancies by detecting mutation of a proto-oncogene), claims 38 and 39, and partially claims 82-83:

An assay for the detection of neoplasia involving mutation analysis of mutant or wild-type alleles by primer extension reaction by a Sanger type sequencing protocol.

THIS PAGE BLANK (USPTO)

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

5. Claim 35 partially (in that it relates to the detection of neoplasia/malignancies by detecting expression of a tumour-specific gene in a specific tissue type), claims 40 and 41, and partially claims 82-83:

An amplification based assay for the expression of the tyrosine hydroxylase gene in bone marrow cells as indicative of a neuroblastoma.

6. Claim 42, partially claims 82-83:

A method for directly detecting double stranded nucleic acid using Maldi-TOF mass spectrometry.

7. Claims 43-45, partially claims 82-83:

A method for comparing DNA relatedness by amplification of microsatellite DNA repeat sequences.

8. Claim 46, partially claims 82-83:

A method for detecting mutations based on target amplification using a primer that introduces a unique endonuclease restriction site into amplified target and a combination of a Sanger sequencing protocol and endonuclease digestion.

9. Claim 47, partially claims 82-83:

A method for the amplification and detection of a nucleic acid based on the synthesis of RNA using a primer containing a RNA polymerase promoter sequence.

10. Claims 48, 49, 80 and 81, partially 82-83:

THIS PAGE BLANK (USPTO)

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Primers per se for mass spectrometry comprising a mass modifying moiety.

11. Claims 50-64, partially 68-70, partially 73-79, partially claims 82-83:

Method for detecting a target nucleic acid sequence involving hybridisation to a detector oligonucleotide.

12. Claims 65-67, partially 68-70, 71-72, partially 73-79, partially claims 82-83:

Methods for determining a nucleic acid sequence involving exonuclease digestion.

13. Claims 84-94:

Photolabile linkers per se for use in immobilisation of nucleic acids to solid supports.

THIS PAGE BLANK (USPTO)

THIS PAGE BLANK (USPTO)

A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 C12Q1/68 C07H21/00 C07F9/24

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 C12Q

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
	-/--	



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

* Special categories of cited documents :

A document defining the general state of the art which is not considered to be of particular relevance

E earlier document but published on or after the international filing date

L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

O document referring to an oral disclosure, use, exhibition or other means

P document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

Z document member of the same patent family

Date of the actual completion of the international search

29 July 1998

Date of mailing of the international search report

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Osborne, H

THIS PAGE BLANK (USPTO)

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 96 29431 A (SEQUENOM INC) 26 September 1996	1
X	pages 25-54	2-7,
	see page 9, line 33 - page 10, line 2;	11-18,
	claims 1-49; figure 9	82,83
X	see page 15, line 34 - page 18, line 10;	19-34,
	examples 5,8	82,83
X	see example 8	42
X	see page 16, line 4; figures 6A,8	47
X	page 36, ln 33	48,49,
	see page 26, line 7	80,81
X	see page 16 - page 18, line 10; figures 3-9	50-64,
		68-70
Y	see page 21, line 21 - line 23	35-37
Y	see example 7	38,39
Y	see claims 1-49	40,41,
		43-47,
		65-67,
		71-79

Y	WO 94 16101 A (KOESTER HUBERT) 21 July 1994	1-7,
		11-18,
		65-79,
		82,83
	see the whole document	

Y	WO 96 32504 A (UNIV BOSTON) 17 October 1996	1-7,
		11-18,
		66-79,
		82,83
	especially page 21, lns 12-24.	
	see the whole document	

Y	WO 95 13381 A (GERON CORP) 18 May 1995	35-37,
		82,83
	see page 9, line 1 - line 33	
	see page 29, line 34 - page 32, line 5	
	see claims 1-4; example 3	

Y	FENG J ET AL: "THE RNA COMPONENT OF HUMAN TELOMERASE"	35-37,
	SCIENCE,	82,83
	vol. 269, no. 5228, 1 September 1995,	
	pages 1236-1241, XP000645335	
	see page 1236, paragraph 1 - paragraph 4	

Y	SYVANEN A -C ET AL: "DETECTION OF POINT MUTATIONS BY SOLID-PHASE METHODS"	35,38,
	HUMAN MUTATION,	39,82,83
	vol. 3, no. 3, 1 January 1994, pages 172-179, XP000600258	
	see the whole document	

	-/--	

THIS PAGE BLANK (USPTO)

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	PASINI B ET AL: "RET mutations in human disease" TRENDS IN GENETICS, vol. 12, no. 4, April 1996, pages 138-144, XP002072975 see page 141, paragraph 2 - page 144 ---	35,38, 39,82,83
Y	DE 44 31 174 A (DEUTSCHES KREBSFORSCH) 7 March 1996 see abstract and claim 1 ---	40,41
Y	NAITO H ET AL: "Detection of tyrosine hydroxylase mRNA and minimal Neuroblastoma cells by reverse transcription-polymerase chain reaction " EUROPEAN JOURNAL OF CANCER, vol. 27, June 1991, pages 762-65, XP002073102 see the whole document ---	40,41
Y	GB 2 260 811 A (YORKSHIRE CANCER RESEARCH CAMP ;UNIV LEEDS (GB)) 28 April 1993 see the whole document ---	40,41
Y	WO 96 17080 A (IMP CANCER RES TECH ;SELBY PETER JOHN (GB); BURCHILL SUSAN ANN (GB) 6 June 1996 see page 3, line 1 - line 2 ---	35,40, 41,82,83
Y	NELSON R ET AL: "Time-of-flight Mass spectrometry of nucleic acids by laser ablation and ionization from a frozen aqueous matrix " RAPID COMMUNICATIONS IN MASS SPECTROMETRY, vol. 4, September 1990, pages 348-351, XP002072976 see abstract ---	42,82,83
Y	TANG K ET AL: "MATRIX-ASSISTED LASER DESORPTION/IONIZATION OF RESTRICTION ENZYME-DIGESTED DNA" RAPID COMMUNICATIONS IN MASS SPECTROMETRY, vol. 8, no. 2, February 1994, pages 183-186, XP000608266 see the whole document ---	42,82,83
Y	SIEGERT C ET AL: "Matrix-assisted laser desorption/ionization Time-of-flight Mass Spectrometry for the detection of polymerase chain reaction products containing 7-Deazapurine moieties" ANALYTICAL BIOCHEMISTRY, vol. 243, 1996, pages 55-65, XP002072977 see the whole document ---	42,82,83

	-/--	

THIS PAGE BLANK (USPTO)

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	WO 95 15400 A (UNIV JOHNS HOPKINS) 8 June 1995 see abstract and claims 1-19 ---	43-45, 82,83
Y	WO 96 10648 A (PROMEGA CORP) 11 April 1996 see claims 1,23 ---	43-45, 82,83
Y	WO 93 23563 A (CEMU BIOTEKNIK AB ;UHLIN MATHIAS (SE); PETTERSSON BERTIL (SE)) 25 November 1993 see claims 1-7; figure 1 ---	46,82,83
Y	DE 44 38 630 A (PACHMANN KATHARINA DR ;GOEHLY URSULA (DE)) 2 May 1996 see claim 1; figures 1A,1B ---	46,82,83
Y	EP 0 593 789 A (SUMITOMO METAL IND) 27 April 1994 see abstract, claims 1 and 2 ---	46,82,83
Y	WO 96 15262 A (MEDINNOVA SF ;DZIEGLEWSKA HANNA EVA (GB); BREIVIK JARLE (NO); GAUD) 23 May 1996 see page 12, paragraph 4 - page 13, paragraph 2 ---	46,82,83
Y	WO 89 06700 A (GENENTECH INC) 27 July 1989 see the whole document ---	47,82,83
Y	WO 89 03432 A (US ENERGY) 20 April 1989 see claims 1-21; figures 1,2 ---	65,68-70
Y	US 5 288 644 A (BEAVIS RONALD C ET AL) 22 February 1994 see claims 1-8 ---	66,67
X	WO 94 21822 A (KOESTER HUBERT) 29 September 1994 see claims 1-55 ---	65-79
X	US 5 430 136 A (URDEA MICHAEL S ET AL) 4 July 1995 see column 4, line 28 - column 9, line 52 ---	84-87
X	WO 95 31429 A (UNIV BOSTON) 23 November 1995 see claims 1,19 ---	84-87

	-/--	

THIS PAGE BLANK (USPTO)

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	ORDOUKHANIAN P ET AL: "Design and synthesis of a versatile photocleavable DNA building block. application to phototriggered hybridization" JOURNAL OF THE AMERICAN CHEMICAL SOCIETY, vol. 117, 1995, pages 9570-71, XP002072978 see the whole document	84-87
E	WO 97 42348 A (SEQUENOM INC) 13 November 1997 see claims 1-48	1,7-10

THIS PAGE BLANK (USPTO)

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

P/JS 97/20444

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 9629431	A	26-09-1996	US 5605798 A AU 5365196 A CA 2214359 A EP 0815261 A	25-02-1997 08-10-1996 26-09-1996 07-01-1998
WO 9416101	A	21-07-1994	AU 5992994 A CA 2153387 A EP 0679196 A JP 8509857 T US 5547835 A US 5605798 A US 5691141 A	15-08-1994 21-07-1994 02-11-1995 22-10-1996 20-08-1996 25-02-1997 25-11-1997
WO 9632504	A	17-10-1996	AU 5544696 A EP 0830460 A	30-10-1996 25-03-1998
WO 9513381	A	18-05-1995	US 5645986 A US 5629154 A AU 1178195 A AU 682082 B AU 1209095 A AU 1330795 A AU 6058298 A CA 2173872 A EP 0728207 A JP 9502102 T WO 9513382 A US 5648215 A US 5686306 A US 5639613 A US 5693474 A WO 9513383 A	08-07-1997 13-05-1997 29-05-1995 18-09-1997 29-05-1995 29-05-1995 04-06-1998 18-05-1995 28-08-1996 04-03-1997 18-05-1995 15-07-1997 11-11-1997 17-06-1997 02-12-1997 18-05-1995
DE 4431174	A	07-03-1996	NONE	
GB 2260811	A	28-04-1993	NONE	
WO 9617080	A	06-06-1996	NONE	
WO 9515400	A	08-06-1995	NONE	

THIS PAGE BLANK (USPTO)

Patent document cited in search report		Publication date	Patent family member(s)		Publication date
WO 9610648	A	11-04-1996	AU 3998195	A	26-04-1996
			CA 2118048	A	31-03-1996

WO 9323563	A	25-11-1993	AU 4068293	A	13-12-1993
			CA 2135606	A	25-11-1993
			EP 0641391	A	08-03-1995
			JP 8500725	T	30-01-1996

DE 4438630	A	02-05-1996	NONE		

EP 0593789	A	27-04-1994	JP 5308999	A	22-11-1993
			WO 9323567	A	25-11-1993

WO 9615262	A	23-05-1996	AU 3851495	A	06-06-1996
			CA 2205017	A	23-05-1996
			EP 0791074	A	27-08-1997

WO 8906700	A	27-07-1989	AU 3058589	A	11-08-1989
			DE 68908054	T	10-03-1994
			DK 463089	A	20-09-1989
			EP 0359789	A	28-03-1990
			JP 2006724	A	10-01-1990
			JP 2503054	T	27-09-1990
			NO 300782	B	21-07-1997

WO 8903432	A	20-04-1989	US 4962037	A	09-10-1990
			CA 1314247	A	09-03-1993
			DE 3854743	D	11-01-1996
			DE 3854743	T	09-05-1996
			EP 0381693	A	16-08-1990
			JP 3502041	T	16-05-1991

US 5288644	A	22-02-1994	US 5453247	A	26-09-1995

WO 9421822	A	29-09-1994	AU 687801	B	05-03-1998
			AU 6411694	A	11-10-1994
			CA 2158642	A	29-09-1994
			EP 0689610	A	03-01-1996
			JP 8507926	T	27-08-1996
			US 5622824	A	22-04-1997

THIS PAGE BLANK (USPTO)

THIS PAGE BLANK

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 5430136	A	04-07-1995	US 5258506 A	02-11-1993
			US 5118605 A	02-06-1992
			US 4775619 A	04-10-1988
			CA 2088257 A	28-01-1992
			EP 0543889 A	02-06-1993
			JP 8311091 A	26-11-1996
			JP 9031090 A	04-02-1997
			JP 2552048 B	06-11-1996
			PL 170146 B	31-10-1996
			PT 98488 A,B	29-05-1992
			WO 9202528 A	20-02-1992
			US 5545730 A	13-08-1996
			US 5578717 A	26-11-1996
			US 5552538 A	03-09-1996
			US 5367066 A	22-11-1994
			AT 133714 T	15-02-1996
			DE 3854969 D	14-03-1996
			DE 3854969 T	30-05-1996
			EP 0360940 A	04-04-1990
			EP 0703296 A	27-03-1996
			ES 2083955 T	01-05-1996
			JP 2092300 A	03-04-1990
			JP 2676535 B	17-11-1997
			US 5380833 A	10-01-1995

WO 9531429	A	23-11-1995	US 5643722 A	01-07-1997
			AU 2635995 A	05-12-1995
			CA 2189848 A	23-11-1995
			EP 0763009 A	19-03-1997
			JP 10500409 T	13-01-1998

WO 9742348	A	13-11-1997	AU 3003497 A	26-11-1997

THIS PAGE BLANK (USPTO)